

## VOLUNTARY NOTICE OF THE ILLINOIS FINANCE AUTHORITY

#### **RELATING TO**

\$500,000,000

Illinois Finance Authority
State of Illinois Clean Water Initiative Revolving Fund Revenue Bonds,
Series 2020(Green Bonds)

NOTICE DATED March 1, 2023



### TABLE OF CONTENTS

Section I	
Bond Issues Subject to Report	5
Section II	
Green Bond Report	
Fiscal Year Ended December 31, 2022	7
i iscai Teai Liided December 31, 2022	/



#### ANNUAL GREEN BOND REPORT FOR FISCAL YEAR ENDED DECEMBER 31, 2022

#### **RELATING TO**

#### \$500,000,000

#### ILLINOIS FINANCE AUTHORITY

## STATE OF ILLINOIS CLEAN WATER INITIATIVE REVOLVING FUND REVENUE BONDS, SERIES 2020 (GREEN BONDS)

The above-described bonds (the "Bonds") were issued on December 30, 2020. In the Official Statement dated December 15, 2020 relating to the Bonds (the "Official Statement") under the heading "GREEN BOND DESIGNATION – Annual Reporting on Projects Financed", the Illinois Environmental Protection Agency ("IEPA") agreed to report, commencing with the Annual Report for the fiscal year ending December 31, 2021, information on the projects financed with the proceeds of the Series 2020 Bonds including the name of the Participant completing the project, a description of the project, the amount of the Loan for such project, the percentage of the Loan disbursed for such project, and the expected or actual completion dates thereof (the "Green Bond Information"). Attached is information for the annual report through December 31, 2022 in substantially the format prescribed by Appendix G to the Official Statement.

The Official Statement provided that such report would be published by the Illinois Finance Authority ("Authority") on the Municipal Securities Rulemaking Board's (the "MSRB") Electronic Municipal Market Access System ("EMMA") annually on or before January 30 of each year, commencing January 30, 2022 until all the Series 2020 Bond proceeds were completely disbursed after which no further updates would be provided. The Authority's agreement to post the Green Bond Information is not a part of the obligation to provide continuing disclosure in accordance with the Rule (as defined in the Official Statement) as set forth in the Authority Undertaking (as defined in the Official Statement).

Net proceeds from the Bonds were \$637,306,169 (CW- \$574,505,999 and DW- \$62,800,170). As of December 31, 2022, \$454,817,833 or 79.2%, of net CW bond proceeds were disbursed for Clean Water and \$62,503,890, or 99.5%, of net DW proceeds were disbursed for Drinking Water loans to Illinois communities.

The IEPA agreed to use its best efforts to gather and report information regarding quantitative and/or qualitative impacts resulting from eligible projects. Current performance indicators posted on the IEPA website at <a href="https://www2.illinois.gov/epa/topics/water-quality/Pages/default.aspx">https://www2.illinois.gov/epa/topics/energy/Pages/default.aspx</a> and <a href="https://www2.illinois.gov/epa/topics/energy/Pages/default.aspx">https://www2.illinois.gov/epa/topics/energy/Pages/default.aspx</a> provide metrics for water quality improvements. The IEPA's most recent annual Public Accountability Report to the Illinois Office of the Comptroller, which links financial information to the performance of state programs, is posted at <a href="https://par.illinoiscomptroller.gov">https://par.illinoiscomptroller.gov</a>.

This report is being made solely to comply with the annual reporting requirement specified in the Official Statement. The publication of this report does not constitute or imply any representation (i) that the information contained herein is material to investors, (ii) regarding any other financial,



operating or other information about the IEPA, the Clean Water or Drinking Water programs or the Bonds or (iii) that no other circumstances or events have occurred or that no other information exists concerning IEPA, the Clean Water or Drinking Water programs or the Bonds which may have a bearing on the security for the Bonds or an investor's decision to buy, sell or hold the Bonds. This report provides information during the annual period ended on December 31, 2022 and is not an indicator of any future performance.



# SECTION I BOND ISSUES SUBJECT TO CONTINUING DISCLOSURE

State of Illinois Clean Water Initiative Revolving Fund Revenue Bonds Series 2020 (Green Bonds)

Maturity Date	Interest Rate	<u>CUSIP</u>
July 1, 2021	5.00%	45204FES0
January 1, 2022	5.00%	45204FET8
July 1, 2022	5.00%	45204FEU5
January 1, 2023	5.00%	45204FEV3
July 1, 2023	5.00%	45204FEW1
January 1, 2024	5.00%	45204FEX9
July 1, 2024	5.00%	45204FEY7
January 1, 2025	5.00%	45204FEZ4
July 1, 2025	5.00%	45204FFA8
January 1, 2026		45204FFB6
July 1, 2026		45204FFC4
January 1, 2027	5.00%	45204FFD2
July 1, 2027	5.00%	45204FFE0
January 1, 2028		45204FFF7
July 1, 2028		45204FFG5
January 1, 2029	5.00%	45204FFH3
July 1, 2029	5.00%	45204FFJ9
January 1, 2030		45204FFK6
July 1, 2030		45204FFL4
January 1, 2031	5.00%	45204FFM2
July 1, 2031	5.00%	45204FFN0
January 1, 2032	4.00%	45204FFP5
July 1, 2032	4.00%	45204FFQ3
January 1, 2033	4.00%	45204FFR1
July 1, 2033	4.00%	45204FFS9
July 1, 2034		45204FFT7
July 1, 2035		45204FFU4
July 1, 2035		45204FFV2
July 1, 2036		45204FFW0
July 1, 2037	4.00%	45204FFX8
July 1, 2038		45204FFY6
July 1, 2039		45204FFZ3
July 1, 2040	1100,0	45204FGA7
July 1, 2041	4.00%	45204FGB5



CUSIP is a registered trademark of American Bankers Association. CUSIP data herein is provided by CUSIP Global Services which is managed on behalf of the American Bankers Association by S& P Global Market Intelligence. The CUSIP numbers listed are being provided solely for the convenience of the bondholders only at the time of issuance of the Bonds and the Authority does not make any representation with respect to such numbers or undertake any responsibility for their accuracy now or at any time in the future. The CUSIP number for a specific maturity may be changed after the issuance of the Bonds as result of various subsequent actions including, but not limited to, a refunding in whole or in part of such maturity or as result of the procurement of secondary market portfolio insurance or other similar enhancement by investors that is applicable to all or a portion of certain maturities of the Bonds.

6



# SECTION II GREEN BOND REPORT FOR FISCAL YEAR ENDED DECEMBER 31, 2022

			Total Obligated	Total Disbursed	Obligation Balance	<b>+</b>	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series		Contruction Completion Date
CWSRF	Bartlett	The proposed project consists of modifications to the WWTP located at Stearns Road. Many upgrades to the treatment process will be completed as part of this project. The upgrades to the treatment process are as follows: wastewater screening and grit removal will be upgraded, several updates to the primary clarification process, addition of automated primary sludge removal, replacement of existing piping between primary clarifiers and the control building, activated sludge basins and aeration facilities will be upgraded, the final clarification process will be revised to convert the intermediate clarifiers to final clarifiers, install a Supervisory Control and Data Acquisition (SCADA) control system to control the pumping of the WAS to the aerobic digesters, excess flow treatment upgrades, modifications to the tertiary filtration system, and the installation of a UV disinfection system. This project will also include all related appurtenances and restoration to make project complete and operational.	0.00	0.00	37,000,000.00	8,897,660.53	24.00	5/15/2024
CWSRF	DuPage County Department of Public Works	This project includes rehabilitating the Nordic Park Wastewater Treatment Facility. Improvements include converting the existing aerobic basin and digester into an anerobic/oxic (A/O) biological process with a new 44-foot diameter tertiary clarifier. Rehabilitating the wet well, screening and raw sewage pump station; constructing a new control and screening building. Converting the settling tank into an aerobic digester tank. Constructing a new raw sewage pump structure; and a second A/O biological process; and connecting the plant flow to the newly constructed process. Demolishing the existing control blower building, aeration basin, UV/chlorine contact channel, clarifiers and tertiary sand filters.	0.00	0.00	11,530,990.00	4,906,927.86	43.00	3/17/2023
CWSRF	Fairbury	With receipt of this loan, the City of Fairbury proposes upgrades and improvements to Fairbury's Waste Water Treatment Plant (WWTP), collection system and lift stations. The City plans to separate limited areas of the combined sewage collection system. Upgrades at the WWTP consist of modifications to the trickling filter and activated sludge processes to maximize treatment capacity with additional improvements to the lift stations, the excess flow lagoon and the chlorine contact basin. Upgrades outside of the WWTP include installation of a South interceptor sewer; improvements to the Walcrest pump station and force main; improvements and increase in capacity to the 7th Street pump station and force main; and installation of new gravity sewer for the Timber Ridge Subdivision and Jackson Street. The City currently utilizes seven (7) CSO Outfalls. Outfalls 004, 005, 006, 011 and 013 will be eliminated. Outfalls 003 and 008 will remain for emergency relief purposes.	30,431,034.25	27,764,252.46	2,666,781.79	1,785,552.82	67.00	10/21/2021
CWSRF	Lebanon	The project consists of WWTP upgrades including a new influent screening building and flow splitter, 3 sequencing batch reactor (SBR) basins with post equalization, tertiary filtration building with new cloth disk filters, new blower building, sludge dewatering building, sludge storage canopy, and other appurtenances.	12,495,960.00	11,025,956.30	1,470,003.70	866,306.42	59.00	7/29/2021
CWSRF	Lincoln	The City of Lincoln will abandon the existing Union Street pump station and construct a new pump station housing 5 pumps; install 278' of 8" force main, 3,980' of 16" force main, 35' of 12" sanitary sewer, 1,796' of 24" sanitary sewer, 399' of 27" sanitary sewer, replace 14 manholes and site restoration.	4,060,397.00	1,114,076.17	2,946,320.83	4,539,792.59	100.00	12/8/2021
CWSRF	Lincoln	The project consists of improvements to the City's Wastewater Treatment Plant. Specific activities include upgrading the existing CSO facility to a flowrate of 70 MGD by raising the existing CSO weir; construct a diversion structure, coarse screening facility, pump station, and swirl separator; and convert the existing CSO clarifier into a 2.2 MG holding tank; modify the existing disinfection tank to treat 70 MGD; construct a new laboratory; headworks building; replace mechanical equipment in primary clarifiers 3 and 4; and replace the dry sludge conveyor and grit chamber.	15,000,000.00	2,747,223.03	12,252,776.97	7,574,226.99	62.00	6/23/2022

			Total Obligated	Total Disbursed	Obligation Balance	\$ Disbursed	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020	as of 12/15/2020	as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Metropolitan Water Reclamation District of Greater Chic	At the Calumet Water Reclamation Plant (WRP), two existing Calgon P-3000 carbon odor control units will be replaced with a Bio-Trickling Filter. There will be new ductwork and covers will be installed at the valve vault chamber. At the Kyie WRP, one of the Calgon P-3000 carbon units removed from Calumet WRP will be re-installed at Airlift Station A-1. This will replace the older odor control unit at Kyrie WRP. At the Hanover WRP, the second Calgon P-3000 carbon unit removed from Calumet WRP will be re-installed at the coarse screen building to treat the exhaust. New ductwork will be installed in several buildings, new covers will be installed on the grit tanks, and the older existing system will be demolished.		2,988,400.00	1,228,111.00	497,400.00	41.00	8/28/2020
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of the rehabilitation of digester covers, tank walls, digester gas piping, mixing system components, and waste gas burners in digesters 1-12 at the Stickney Water Reclamation Plant.	14,124,462.10	5,680,400.00	8,444,062.10	5,160,800.00	61.00	9/9/2022
CWSRF	Highland	The project consists of modifications to the existing wastewater treatment facility that includes an influent pump station with 4 pumps each rated at 1,400 gallons per minute (gpm) and 3 rehabilitated excess flow pumps each rated at 2,100 gpm, new mechanical screen, grit chamber, phosphorus checmical treatment system, 4 oxidation ditch aerators, 3 rehabilitated RAS pumps each rated at 556 gpm, 2 new WAS pumps each rated at 345 gpm, 2 rehabilitated secondary clarifiers, 2 new 70 ft diameter aerobic digesters with 3 new blowers, along with all the necessary appurtenances to make the project complete and operational.	11,000,000.00	10,126,449.60	873,550.40	624,557.10	71.00	3/31/2021
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of modifications being made to 12 TARP control structures and one intercepting sewer. Nine dropshafts and one construction shaft located within the Mainstream TARP tunnel in the Stickney service area, will have new louver covers installed beneath the vents. This will help mitigate hydrogen sulfide odors. Two TARP control structures within the Calumet service area will be upgraded, to help prevent combined sewer overflows (CSO) at these areas. Additionally, the existing bulkhead will be removed within intercepting structure I-6 near Cicero Avenue. This will allow increased flow to the West Side No. 1 intercepting sewer, reducing the potential for CSOs.	3,085,880.00	2,298,800.00	787,080.00	433,800.00	55.00	5/19/2021
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project will consist of the replacement of the boilers in the pump and blower building and the digester complex of the Hanover Park Water Reclamation Plant (HPWRP). Also at HPWRP, five digester/natural gas boilers will be removed from the digester complex and new models will be installed in the pump and blower building, digester piping will be replaced, all electrical equipment will be removed and replaced with explosion proof equipment, and a new engineering field office will be constructed with concrete pad, utility connections and site improvements.	0.00	0.00	13,499,843.32	221,600.00	2.00	9/2/2024
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of the installation of 160 mechanical mixers in aeration batteries A, B, C, and D at the Stickney WRP.	8,983,688.84	0.00	8,983,688.84	7,499,500.00	83.00	4/16/2022
CWSRF	Wheaton S.D.	Proceeds from this loan will be used for upgrades to the Preliminary Treatment (PT) Building. This includes replacing most of the existing building's Heating, Ventilation and Air Conditioning (HVAC) system, as well as upgrading the existing air treatment system, with the installation of a new biofilter for odor control. In addition, this project includes minor site work, as well as SCADA improvements, electrical, and site piping.	1,650,530.00	1,516,717.58	133,812.42	58,312.42	44.00	11/1/2020
CWSRF	Wheaton S.D.	This loan will fund the replacement and relocation of the existing Corrugated Metal Pipe (CMP) Northside Interceptor Sewer with reinforced concrete pipe. The new Interceptor will route from Carol Stream through Wheaton to the wastewater treatment plant at 1S649 Shaffner Road. 1,500 lineal feet of service sewer, ranging in size from 6 to 8 inches in diameter, will be installed. 3,500 lineal feet sewers, ranging in size from 10 to 18 inches in diameter, is included in the project. In addition, 20,000 lineal feet of 30-60 inches in diameter sewer, and 121 manholes will also be included in the project.	0.00	0.00	38,246,931.00	14,628,514.18	38.00	11/20/2023

Program	Recipient	Project Description	Total Obligated	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
CWSRF	Glendale Heights	The proposed project will include rehabilitation of the Water Pollution Control Facility's existing aerobic digesters (two tanks). Both digesters will receive updated aeration systems that will include three new turbo blowers, with a rated capacity of 4500 cubic feet per minute each. Various other valves and piping will also be installed. New control systems will manage the new electrical distribution equipment. Digester #2 will receive a new aluminum dome.	0.00		6,100,000.00	4,070,782.49	67.00	3/25/2023
CWSRF	Sycamore	The City will expand the North treatment plant to a DAF of 4.9 MGD and a DMF of 12.42 MGD. The facility will be upgraded with the addition of a new grit removal facility, microscreens, four new sequencing batch reactor (SBR) basins, a new UV disinfection system to replace the existing chlorination/dechlorination process, and the installation of new chemical feed equipment for phosphorus removal.	20,853,989.00	17,524,026.06	3,329,962.94	1,714,733.13	51.00	2/9/2021
CWSRF	Batavia	The proposed project entails the separation of the combined sewer system in Area 3. Approximately 5,190 feet of storm sewer pipe and 69 storm sewer structures will be constructed to convey the runoff from Area 3. The Area's existing pipe will then be utilized to convey sanitary waste only.	790,665.73	785,553.96	5,111.77	37,540.74	100.00	6/1/2020
CWSRF	Galesburg S.D.	The Galesburg Sanitary District will construct a new ultraviolet (UV) disinfection system at the treatment plant and modify the filter pump station.	0.00	0.00	5,033,443.00	4,163,770.91	83.00	5/31/2023
CWSRF	LaSalle	Project includes conversion of existing 45 foot diameter 16 foot SWD anaerobic digester to an aerobic digester with coarse bubble diffusers, two blowers each rated at 1900 scfm and one progressing cavity pump rated at 315 gpm at 37 psi for pumping digested sludge to the sludge storage lagoon. Project also includes construction of a new chlorine contact tank for excess flow facility disinfection, along with all the necessary appurtenances.	0.00	0.00	2,425,001.03	254,186.20	10.00	11/16/2023
CWSRF	Waverly	Rehabilitating the sanitary sewer collection system with cured-in-place pipe (CIPP) lining. Lining includes 13,025 feet of 6-8-inch sewer, 4,863 feet of 10-inch sewer, 972 feet of 15-inch sewer and manholes as necessary. This project also includes traffic control, site restoration and appurtenances.	1,282,224.76	635,019.70	647,205.06	559,256.28	86.00	5/30/2021
CWSRF	Tilton	The project consists of improvements at the WWTP including a new headworks structure with fine screens and grit removal, two new activated sludge plants with two aerations tanks containing fine bubble diffusers, convert one existing clarifier to a sludge thickening tank, convert two other clarifiers to chlorination and de-chlorination contact tanks, increase the existing sludge lagoon, new pumps for the RAS/WAS, and all the necessary appurtenances to make the project complete.	0.00	0.00	10,948,500.00	4,796,861.58	44.00	9/30/2024
CWSRF	Tilton	The project consists of the construction of 380 feet of 8-inch sanitary sewer, , 383 feet of 12-inch sanitary sewer, 466 feet of 15-inch sanitary sewer, 79 feet of 18-inch sanitary sewer, and 14 manholes. There will be a new lift station constructed on 3rd Street containing two pumps with a rated capacity of 1,400 gpm at 71 feet tdh, 1,600 feet of 12-inch force main, and 550 feet of 18-inch force main. A new lift station on Jefferson Street will be constructed containing two pumps with a rated capacity of 1,400 gpm at 92 feet tdh, 4,700 feet of 12-inch force main, and 550 feet of 18-inch force main. Modifications will be made to the existing lift station on 13th Street. It will contain 2 pumps with a rated capacity of 870 gpm at 46 feet tdh. The existing lift station on Mayfield will be modified to have two pumps and a rated capacity of 1,050 gpm at 45 feet tdh. The lift station on King Street will be modified to have two pumps with a rated capacity of 640 gpm at 48 tdh. This loan will also cover improvements for the Tilton WWTP. Part of this loan is additional funding for the Tilton L173429 project. With this loan, that project will be fully funded.	0.00	0.00	8,647,357.49	735,901.01	9.00	3/4/2024
CWSRF	Hoffman Estates	The project consists of the replacement of the Golf Road Lift Station. Specific activities include replacing the existing steel can style lift station with a submersible pump lift station, including bypass pumping, excavation, backfill, demolition of the existing lift station, wet well rehabilitation, installation of a cast-in-place lift station with a concrete wet well and adjacent valve vault, submersible pumps and motors, controls in a prefabricated concrete building, emergency power generator and transfer switch, integration of the new equipment to the existing electrical service, and other associated miscellaneous work.	2,000,000.00	32,459.76	1,967,540.24	917,024.96	47.00	9/1/2022

Program	Recipient	Project Description	Total Obligated	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
	· · · · · · · · · · · · · · · · · · ·	<u> </u>	0.00		750,000.00	274,984.37	37.00	5/7/2023
CWSKF	Olney	This loan will fund the addition of an ultraviolet (UV) disinfection system at the Olney Wastewater Treatment Plant (WWTP). The construction will include bypass flow and	0.00	0.00	750,000.00	274,984.37	37.00	5/1/2023
		other modifications to the existing chlorine contact tank; flow control gates; concrete						
		walls and floors; a UV equipment package that includes lamps, weir troughs, control						
		panel, air compressor, a hoist, and appurtenances; a roof over the UV channel;						
		electrical work; excavation; backfill; and construction site restoration. The proposed						
		project will allow the Olney WWTP to comply with their National Pollutant Discharge						
		Elimination System (NPDES) permit conditions and continue to provide cost effective						
		sanitary sewer service for their customers.						
CWSRF	Belvidere	The project entails the improvements at the City of Belvidere's wastewater treatment	0.00	0.00	4,145,950.00	2,941,885.56	71.00	1/30/2023
		plant (WWTP), including the replacement of hydraulic gates, raw sewage & sludge						
		pumps, digester cover, waste gas equipment and other miscellaneous						
		accessories/controls.						
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of the removal of the hot water boiler systems at the Calumet	26,234,615.00	6,328,100.00	19,906,515.00	10,354,200.00	52.00	1/20/2023
		Water Reclamation Plant. The District will install a steam-to-hot-water heat exchange						
		system for sludge heating. The existing sludge control building will have four flare						
		systems rehabilitated and two new flare systems will be installed. The six flare units will						
0111000	Maria di Birita (O. 1911)	receive a new control system as well.				24.222.22		0/00/0004
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of the removal and replacement of six existing climber-style coarse	0.00	0.00	4,505,220.00	24,600.00	1.00	6/29/2024
		screens with six new chain and sprocket-style coarse screens, along with all the						
		necessary appurtenances. The work will take place at the Stickney Water Reclamation Plant.						
CWSRF	Collinsville	The project includes the construction of a new biosolids process building and	0.00	0.00	6,898,961.00	2,899,119.52	42.00	7/31/2023
CWSKF	Cominsvine	equipment; new biosolids storage facility; new odor control system and modifications to	0.00	0.00	0,090,901.00	2,099,119.52	42.00	7/31/2023
		existing processes to help with odor control; and other related appurtenances.						
CWSRF	Flossmoor	The project includes lining of approximately 13,600 lineal feet of 8-inch diameter	0.00	0.00	1,482,990.00	60,882.89	4.00	6/30/2023
OWOR	1 1033111001	sanitary sewers, approximately 120 lineal feet of spot repairs, manhole rehabilitation,	0.00	0.00	1,402,000.00	00,002.03	4.00	0/00/2023
		and other appurtenances.						
CWSRF	Fox Lake	The Village of Fox Lake owns and operates two separate drinking water and	0.00	0.00	8,039,890.80	6,787,362.10	84.00	4/17/2022
		wastewater systems. The Village has developed a design to connect the systems and			2,222,222	2,1 21 ,2 2		
		create one wastewater system and one drinking water system. The drinking water						
		interconnect will allow the surplus supply in the South to support the North.						
		Interconnection of the two sewer systems will create a centralized wastewater collection						
		and treatment system at the existing Northwest Regional Water Reclamation Facility						
		and allow retirement of the Tall Oaks Wastewater Treatment Plant (WWTP), which has						
		reached the end of its serviceable life. The project has two phases and each phase has						
		both a drinking and wastewater component. Phase 1 is complete.						
		This loan will fund the Water Pollution Control Loan Program (WPCLP) portion of Phase						
		2, L173975, which will include construction of roughly 9,000 Linear Feet (LF) of 24"						
		gravity sewer and 29 manholes. The WPCLP portion will also include construction of a						
		new Tall Oaks Lift Station with a dedicated force main at the current Tall Oaks						
		Wastewater Treatment Plant site and pump flow currently tributary to the treatment						
CWCDE	Lishana and Champaian Canitany District	facility to the South System.	2.250.040.00	200 022 42	2.072.000.57	2 570 200 05	86.00	3/25/2022
CWSRF	Urbana and Champaign Sanitary District	The project consists of construction of a UV disinfection system for treated effluent from the southwest wastewater treatment plant and an effluent disinfection system for the	3,358,040.00	386,033.43	2,972,006.57	2,570,399.95	86.00	3/25/2022
		excess flow clarifier. This will include: modifications to the existing chlorine building; a						
		20 mgd UV disinfection package; automatic slide gate; meter and vault; piping; valves;						
		a manhole; the replacement of the three (3) sodium hypochlorite storage tanks and						
		adding a sodium bisulfate storage with metering pump system for de-chlorination; safety	,					
		equipment; electrical work; excavation and site work.						
CWSRF	Quincy	Reconfigure the existing aeration tanks to provide 2 anoxic zones and 2 aerated zones;	5,142,561.34	3,738,608.96	1,403,952.38	811,128.21	58.00	9/30/2021
	··· · <b>,</b>	install a diffused aeration system within the aeration tanks with 3 new blowers and	2,,231.01	2,,	1,130,002.00	2,3.2.	22.00	3.30/2021
		modify the existing return activated sludge pumps and slide gates. No NPDES Permit						

Drogram	Doginiont	Project Description	Total Obligated as of 12/15/2020	Total Disbursed	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contraction Completion Date
Program	Recipient	Project Description						Contruction Completion Date
CWSRF	Villa Park	The project consists of the Aston and Myrtle Avenue combined sewer separation, installation of new storm sewers, replacement of sanitary sewers, manholes, inlets and catch basins, drainage and utility improvements, and other associated work.	938,250.00	0.00	938,250.00	164,966.11	18.00	1/3/2021
CWSRF	Assumption	This project consists of the Samuel Street trunk sewer separation which includes: laying 2,242 feet of 6-inch force main, 12,698 feet of 8-inch sanitary sewer and 6,347 feet of 12-inch sanitary sewer. This project also includes construction of a 330 gallons per minute capacity lift station with 2 pumps; replacing 66 manholes and site restoration.	7,271,504.66	3,291,707.77	3,979,796.89	3,587,115.43	90.00	5/6/2022
CWSRF	DuPage County Department of Public Works	This project includes electrical upgrades at the Woodridge-Greene Valley Water Reclamation Facility (WCVWRF) and the Knollwood Water Reclamation Facility (KWRF). Work includes replacing the electrical systems including the main switchgears, underground cables and substations as well as replacing the backup electrical generators at both facilities.	0.00	0.00	21,258,984.80	1,516,764.72	7.00	9/16/2024
CWSRF	Fox River Water Reclamation District	This project consists of improvements to the North Water Reclamation Facility (WRF) to add biological phosphorus removal facilities to the existing activated sludge process. The improvements include the following: piping/valve additions and replacements to improve system hydraulics; new primary sludge pumps with AFDs and flowmeters; electrical improvements; addition of a primary sludge fermenter; new return sludge pumps with AFDs and flowmeters; new sludge transfer station mixing pumps; additional mixing and aeration basins; north and south blower building improvements; yard piping and structures, and a new odor control system.		15,923,338.18	10,710,656.82	9,759,241.43	91.00	11/28/2021
CWSRF	North Shore Water Reclamation District	The project consists of the replacement of switchgear at the Gurnee, Clavey Road, and Waukegan water reclamation facilities. The old, existing electomechanical protective relays will be replaced with new micro-processor based, multi-function relays. Also included is all the necessary appurtnenances to make the project complete and operational.	1,153,043.80	1,152,487.82	555.98	92,242.81	100.00	5/30/2021
CWSRF	North Shore Water Reclamation District	The project consists of the replacement of the clarifier collection system at the Waukegan wastewater treatment plant.	3,932,021.91	102,600.00	3,829,421.91	682,053.84	18.00	10/4/2024
CWSRF	North Shore Water Reclamation District	The project is for the rehabilitation of approximately 1,962 feet of sanitary sewers, ranging in size from 8-inches to 54-inches, along with multiple manholes. The rehabilitation will consist of spot lining, chemical grout repair to joints, and full lining where needed.	2,564,270.41	2,305,782.92	258,487.49	181,300.00	70.00	5/13/2021
CWSRF	North Shore Water Reclamation District	The project consists of the addition of a redundant thermal oil heater for the sludge recycling facility, along with all the necessary electrical, piping, and appurtenances.	1,789,110.00	45,900.00	1,743,210.00	1,554,312.65	89.00	11/14/2022
CWSRF	Mount Vernon	Replace existing Lift Station #14, located at the intersection of Industrial Drive and Woodland Drive, and reroute and upgrade the existing force main with approximately 9102 linear feet of 18-inch diameter force main. Project will also include installation of 70 linear feet of 10-inch diameter sewer; 18 linear feet of 30-inch diameter sewer; 3 manholes; an emergency back-up generator and upgrade of electrical controls.	0.00	0.00	2,479,926.75	684,725.76	28.00	3/31/2023
CWSRF	Plainfield	Line 18,120 lineal feet of sanitary sewers ranging in size from 8 to 20-inches with a cured in place method. Line the service laterals for the 359 homes along the project route, which includes 12,565 lineal feet of 6-inch sewer pipe; and line, rehab or replace 72 manholes.	0.00	0.00	4,446,473.79	3,213,650.65	72.00	5/13/2022
CWSRF	Four Rivers Sanitation Authority	The project consists of the construction of 16,460 feet of 30-inch force main, 120 feet of 42-inch sanitary sewer, and 2 manholes to serve the existing population within the Cherry Valley area.	7,456,305.53	2,650,450.64	4,805,854.89	4,432,833.22	92.00	8/31/2021
CWSRF	Bloomingdale	The Village of Bloomingdale will use the funds from this loan to complete improvements at the waste water treatment plant, identified as Phase 2B Improvements. The work will include the installation of two fine screens; grit removal facilities; three tertiary filters and miscellaneous associated piping and electrical equipment along with all necessary ancillary appurtenances.		0.00	8,761,703.94	7,158,280.72	82.00	2/22/2023

December	Desirient	Project Possyintion	Total Obligated	Total Disbursed	Obligation Balance	¥ =	% Disbursed of 12/15/2020	Contraction Completion Date
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The scope of work for this project is odor control facilities for the sludge concentration areas at the Stickney Water Reclamation Plant. Work will include upgrades on the primary sludge wet wells, fermenters, waste activated sludge thickening tanks, WASSTRIP tanks, sludge screen building, and overhead weir structure. There will also be improvement made at the southwest coarse screen building and post-centrifuge building.	16,962,555.00	3,848,900.00	13,113,655.00	7,895,400.00	60.00	8/3/2021
CWSRF	Wheaton S.D.	This loan will fund the installation of two permanently mounted, diesel-powered stand by generators to be located outside the Tertiary Filter (1250 KW) and the Aeration Blower/Laboratory Buildings (800 KW).	1,639,754.00	1,470,326.00	169,428.00	40,474.00	24.00	9/9/2020
CWSRF	Joliet	Biological Phosphorus Removal at the East Side WWTP	21,542,743.00	15,297,461.44	6,245,281.56	5,488,838.41	88.00	3/4/2022
		Funds will be used at the City of Joliet Eastside wastewater treatment plant for the addition of Phosphorus removal equipment that will include one Anaerobic zone in the existing Aeration tanks for biological removal of phosphorus, plus the addition of new centrifuge type WAS thickening units to be installed into the existing thickening building. A new chemical storage and feed facility for alum addition will also be constructed.						
CWSRF	Westchester	The project consists of the construction of approximately 350 linear feet of 10-inch	3,520,103.58	2.979.142.42	540,961.16	221,815.67	41.00	12/12/2019
0.1.01.11		sanitary sewer, approximately 618 linear feet of 24-inch sanitary sewer, approximately 4,020 linear feet of 30-inch sanitary sewer, 22 manholes, abandonment of existing manholes, traffic control, site restoration, and other appurtenances.	5,626,186.66	2,0.0,1.12.12	0.10,000.11.0	22.,0.0.0.		12/12/2010
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of disinfection facilities at the O'Brien Water Reclamation Plant of the Metropolitan Water Reclamation District of Greater Chicago. The work includes the construction of a new Ultraviolet (UV) Disinfection Building consisting of seven UV disinfection channels with two Trojan UV Sigma Banks per channel utilizing low pressure, high output (LPHO) lamps, a new Process Water Pump Station, a new Sodium Hypochlorite Storage Building and a new Primary Switchgear Building. The work also entails tie-ins to the existing electrical distribution system and control system architecture, piping, plumbing, paving, landscaping, restoration and miscellaneous appurtenances necessary for the project.	66,136,932.00	63,047,000.00	3,089,932.00	514,400.00	17.00	12/19/2015
CWSRF	Creve Coeur	With receipt of this loan, the Village of Creve Coeur will undertake construction of the Riley Lane pump station, and consolidate the flows from six remotely located sewage lift stations. The individual lift stations will ultimately be abandoned. The new lift station will have two pumps with a rated capacity of 1,250 gallons per minute. Pipe inventory includes 5,961 feet of 10-inch force main; 4,540 feet of 8-inch sanitary sewer; 2,091 feet of 12-inch sanitary sewer. The installation of 40 manholes is also included in the		3,627,147.92	371,845.47	8,042.50	2.00	8/9/2020
CWSRF	Wheaton S.D.	This loan will fund the installation of six 4,900 gallons per minute effluent pumps and the construction of a UV Disinfection System designed to treat 19.1 million gallons of wastewater per day.	5,354,541.00	4,621,882.55	732,658.45	337,472.93	46.00	10/14/2020
CWSRF	Mascoutah	The project consists of the construction of a new mechanical fine screen system, course screen bypass, 4-basin sequencing batch reactor system, chemical feed system, parshall flume, tertiary filtration system, sludge pumping station, biosolids pumping station, and the rehabilitation of the existing aerobic sludge digester. Also included will be all the piping, electrical and necessary appurtenances to complete the project.	0.00	0.00	13,601,000.00	2,385,042.30	18.00	1/31/2023
CWSRF	Danville	The project will see the installation of two pumps at the Rose Hill lift station, rated at 80 gpm at 50 feet TDH, 1,606 feet of 4-inch force main, 162 feet of 8-inch sanitary sewers, and 2 manholes. The Denmark Hill lift station will have two pumps installed, rated at 850 gpm at 112 feet of TDH, 1,464 feet of 10-inch force main, 2,893 feet of 18-inch sanitary sewers, 926 feet of 15-inch sanitary sewers, 513 feet of 8-inch sanitary sewers, and 17 manholes. The Chateau lift station will have two pumps installed, rated at 158 gpm at 81 feet TDH, 1,673 feet of 4-inch force main, 1,219 feet of 8-inch sanitary sewers, and 5 manholes.	7,099,941.24	0.00	7,099,941.24	6,304,953.65	89.00	6/1/2022

<b>D</b>	Desirient	Product Proprietors	Total Obligated as of 12/15/2020	Total Disbursed	Obligation Balance	¥ = 10.0 0.1 0 0 0.1	% Disbursed of 12/15/2020	Ocatavatica Completica Pete
Program	Recipient	Project Description			as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Mattoon	Construction includes diversion structure modifications for CSO's A and B, a new junction structure, approximately 5,539 feet of sanitary sewer ranging from 8-inches up to 15-inches in diameter, approximately 6,809 feet of combined sewer ranging from 18-inches up to 66-inches in diameter, pre & post sewer televising, 41 manholes, restoration, and other appurtenances.	0.00	0.00	6,779,785.48	3,922,996.56	58.00	9/28/2022
CWSRF	Villa Park	The project involves the rehabilitation of the Village's sanitary sewer collection system, including the lining of approximately 22,000 linear feet of 8" to 21" diameter sewer main, the grouting of 100 laterals, and the rehabilitation of 30 manholes.	1,304,562.92	877,210.35	427,352.57	328,434.67	77.00	7/31/2021
CWSRF	Bloomington	Construction of 1,638 linear feet of 8-inch diameter sanitary sewer; 27 linear feet of 12-inch diameter sanitary sewer; 422 linear feet of 18-inch diameter sanitary sewer and 11 manholes to serve as replacement sanitary sewer located south of Country Club Place and North of Olive Street.	0.00	0.00	2,616,998.05	1,781,171.06	68.00	8/31/2022
CWSRF	Glenbard Wastewater Authority	The project consists of new effluent filtration, UV disinfection, and biosolids storage along with all the necessary appurtenances to make the project complete and operational.	16,725,000.00	15,843,797.77	881,202.23	881,202.23	100.00	2/1/2021
CWSRF	Franklin Park	This project consists of the removal of approximately 1,143 feet of 8-inch and 12-inch diameter storm sewers and installation of approximately 1,904 feet of 12-inch to 15-inch diameter storm sewers including a new storm sewer connection on 25th Avenue. The project also includes the installation of approximately 1,215 feet of 8-inch diameter sanitary sewer, approximately 358 feet of 10-inch sanitary sewer, service line reconnections, surface restoration, and other appurtenances.	728,958.30	568,921.50	160,036.80	133,900.00	84.00	3/30/2021
CWSRF	Evanston	The proposed project consists of Cured-In-Place Pipe (CIPP) lining, along Greenleaf Street, of approximately 3,615 linear-feet of combined sewers ranging in size from 39-inches in diameter to 60-inches in diameter and all related appurtenances and restoration to make the project complete and operational.	0.00	0.00	1,223,701.80	172,854.00	14.00	11/14/2022
CWSRF	East Dubuque	The project consists of modifications to the City's existing wastewater treatment plant. The proposed activities consist of upgrading the screening/grit removal to a new mechanical vortex grit removal system; replacement of the existing influent pumps with new, heavy duty pumps; replacement of existing blowers with variable frequency drives to improve energy efficiency; upgrades to aeration tank components; new clarifier covers, replacement of final clarifier equipment, upgrades to the control system; and the installation of a new backup generator.	3,837,243.92	3,837,243.92	0.00	975,038.81	0.00	11/30/2020
CWSRF	Sparta	The project consists of the decommissioning of the Northwest WWTP, and a brand new WWTP will be constructed adjacent to the Northwest plant. After the new plant is operational, the Southeast WWTP will be decommissioned as well. The City will rehab sanitary sewers within the collection system and a new lift station will be constructed near Hillcrest Avenue. Approximately 18,654 feet of forcemain ranging in size from 8-inches to 24-inches in diameter will be replaced throughout the system. Additionally, there will be approximately 7,142 feet of sanitary sewers installed ranging in size from 8-inches to 24-inches in diameter. This will also include all the necessary electrical, backfill, and appurtenances to make the project complete and operational.	16,837,405.33	16,219,836.16	617,569.17	379,404.96	61.00	12/30/2020
CWSRF	McHenry	The project consists of the improvements to the South WWTP which include an influent pump station having three pumps each rated with a capacity of 2,083 gpm at 40 ft of TDH, new microscreens, three new sequencing batch reactors, high rate clarification system, two disk filters, UV disinfection, a new sludge dryer, a lift station for the sequencing batch reactors having 3 pumps (two with a rated capacity of 2,083 gpm and one rated at 1,111 gpm at 23.8 ft of TDH, 609 ft of 18-inch force main and all the necessary appurtenances to make the project complete and operational.	33,600,000.00	32,529,910.69	1,070,089.31	803,527.94	75.00	2/28/2021

_			Total Obligated	Total Disbursed	Obligation Balance	<b>+</b> =	% Disbursed of 12/15/2020	
Program	Recipient	7,	as of 12/15/2020		as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Berwyn	This loan will fund sewer system improvements, which include approximately 6,502 feet of sewer ranging in diameter from 6-inch to 48-inch; a new connection to the Metropolitan Water Reclamation District (MWRD) interceptor to increase capacity; construction of relief sewers to divert and balance system areas; and lining of existing sewer pipe. Green infrastructure will be incorporated into the site restoration, includes: permeable paving, silva cells, bioswales, and natural native plant landscaping. Construction activities associated with Drinking Water loan L175289, and Lead Service Line Replacement loan L175902 will occur at the same time.	0.00	0.00	7,212,676.76	4,742,814.38	66.00	1/22/2023
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of streambank stabilization improvements to part of Oak Lawn Creek, which includes; approximately 1,200 linear feet of precast concrete panel and soldier pile retaining wall; replacement of a 54-inch diameter outfall headwall; and planting native woodland trees, shrubs and seeding. The project is located within the Village of Oak Lawn, Illinois.	3,121,415.00	3,003,800.00	117,615.00	61,600.00	52.00	6/17/2020
CWSRF	Mount Carmel	This loan will fund new fine bubble aeration equipment that will allow the City to achieve compliance with the ammonia limits in their National Pollutant Discharge Elimination System (NPDES) permit. The new extended aeration basins will have 490 – nine-inch diffuser discs and the aerobic digester will have 357 discs, for a total of 1,337 diffuser discs. A backup electric generator is also included in the scope of work. This work is identified as Contract A.  The current outfall pipe will be relocated. Work will consist of the installation of 3,650 feet of 36-inch high-density polyethylene (HDPE) sewer line, 8 sanitary sewer manholes, and a new river outfall structure. This work is identified as Contract B.	3,475,122.00	3,342,462.64	132,659.36	3,618.38	3.00	4/30/2021
CWSRF	Four Rivers Sanitation Authority	The project consists of 1,718 l.f. of 36-inch sanitary sewer, 7,412 l.f. of 30-inch sanitary sewer, 59 l.f. of 15-inch sanitary sewer, 113 l.f. of 8-inch sanitary sewer, 32 manholes and all the necessary appurtenances to make the project complete and operational.	10,139,871.88	8,999,208.13	1,140,663.75	93,829.51	8.00	12/2/2017
CWSRF	Champaign	Phase 3 of the West Washington Street drainage improvements project, which includes the following: construction of 4,200 linear feet of 12-inch to 42-inch diameter storm sewers that will drain into the Phase 1 detention basin. Phase 3 will also include green features, such as native plants, rain garden/bio-retention, and curb cuts that drain into bio-swales.	6,456,936.17	6,215,660.18	241,275.99	8,444.59	3.00	6/12/2020
CWSRF	Freeburg	The project consists of expanding the West WWTP DAF from 0.40 to 0.80 MGD and the DMF from 1.00 to 2.52 MGD. Construction includes replacement of the headworks building with three influent pumps and influent screens; addition of an anaerobic basin; two aeration basins and aeration equipment; two final clarifiers; three sludge pumps; a single tertiary filter and chemical phosphorus removal; aerated sludge holding basin; laboratory/administration building; and other appurtenances.	0.00	0.00	13,000,000.00	6,696,555.43	52.00	9/4/2023
CWSRF	Metropolitan Water Reclamation District of Greater Chic	This project consists of the construction of 5,414 feet of 240-inch combined sanitary sewer to serve as a relief sewer with discharge to the McCook Reservoir and tributary to the Stickney Water Reclamation Plant. This loan is the second loan and will fully fund project L175342, Contract 13-106-4F.	33,382,100.00	17,148,600.00	16,233,500.00	7,315,500.00	45.00	2/17/2022
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of the installation of gas moisture removal equipment including a chiller, air-cooled condenser, air-cooled fluid cooler, pumps, heat exchanger, de-mister, drip trap, sediment trap, controls, piping and all the necessary appurtenances to make the project complete and operational.	3,850,000.00	3,813,800.00	36,200.00	25,300.00	70.00	4/15/2021
CWSRF	Chicago	The project entails the second portion of work that will be performed as part of a 5-year sewer rehabilitation program conducted throughout the City. Approximately 26,900 lineal feet of 12 to 60-inch diameter sewer main will replace existing, aging sewer main.	19,888,142.63	17,425,714.85	2,462,427.78	257,982.22	10.00	5/20/2019
CWSRF	Chicago	The project is part of the City's multi-year sewer rehabilitation program. This loan specifically entails the installation of 15,000 lineal feet of 18-inch to 48-inch diameter sewer main. The locations covered by this work include the Jackson and Fifth, Higgins, Blackstone, and Beach and Midway areas.	11,447,441.84	0.00	11,447,441.84	6,868,784.97	60.00	10/11/2022

Program	Recipient	Project Description	Total Obligated	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
CWSRF	Chicago	This project is part of the City's multi-year sewer rehabilitation program. This loan specifically entails the installation of 19,800 lineal feet of 12-inch to 72-inch diameter sewer main throughout the City. The locations covered by this work include the West 52nd and West 53rd, West Estes, West Lunt, West Farwell, West Thorndale, West Pratt, North Hamilton, North Fairfield, North Washtenaw, North Oshkosh, North Ozark,	15,206,871.93		15,206,871.93	7,886,376.38	52.00	5/27/2022
CWSRF	Joliet	and 84th Street areas.  This loan will fund the City of Joliet's 2018 Sanitary Sewer Rehabilitation Project. The goal of the program is to increase the structural integrity of the system, minimize inflow and infiltration, reduce the occurrence of sewer system overflows and combined sewer overflows. In the Parkview neighborhood, approximately 21,200 linear feet of sanitary sewer will be rehabilitated with a Cured-In-Place Pipe-liner (CIPP). In addition, 108 manholes will be rehabilitated and over 400 T-liners will be installed and 53 services grouted to rehabilitated the connection to the sewer main. In the Downtown business district, approximately 3,800 linear feet of sanitary sewer will be rehabilitated with CIPP. In addition, 2,800 linear feet of 60-inch and 66-inch trunk storm sewer, 1,600 linear feet of 12-inch, 15-inch and 18-inch storm sewer, and separation of combined sanitary and storm sewer systems at seven different locations will be constructed to reduce the occurrence of combined sewer overflows. In the Forest Park neighborhood, approximately 27,000 linear feet of sanitary sewer will be rehabilitated with CIPP. In addition, 300 manholes will be rehabilitated and 295 T-liners will be installed and 675	14,601,968.55	12,213,063.79	2,388,904.76	248,859.21	10.00	10/8/2021
CWSRF	Joliet	services grouted to rehabilitate the connection to the sewer main.  This loan will fund the City of Joliet's 2019 Sanitary Sewer Rehabilitation Project. This is year three of a five-year program. The goal of the program is to increase the structural integrity of the system, minimize inflow and infiltration, reduce the occurrence of sewer system overflows and combined sewer overflows. In the Rock Run and West Park interceptors portion of the project approximately 13,800 linear feet of 30-inch and 48-inch pipe will be lined. 111 manholes will also be rehabilitated. The Belmont interceptor sewer will be replaced by installing approximately 6,610 linear feet of 24-inch sanitary sewer and 32 manholes. Approximately 20 linear feet of 8-inch and 30 linear feet of 15-inch storm sewer will also be installed.	11,781,504.62	9,897,637.33	1,883,867.29	1,272,129.42	68.00	2/11/2021
CWSRF	Frankfort	Demolish the existing North and West Water Water Treatment Plant (WWTP) structures and replace with a two cell deep excess flow pond at the North WWTP measured at 149 feet x 285 feet x 8 feet deep and 128 feet x 275 feet x 8 feet deep to store excess flows above 3.0 MGD. The two cell excess flow pond will allow stored excess flow to be pumped back to the Regional Waste Water Treatment Plant for full	7,025,243.00	5,527,380.58	1,497,862.42	1,650,897.65	100.00	6/30/2021
CWSRF	Joliet	Loan L175412 will fund work at both the City of Joliet Aux Sable Creek Basin and Westside Wastewater Treatment Plants.  The work at the Aux Sable Creek Basin Wastewater Treatment Plant includes construction of wastewater treatment facility grit removal system, selectors, oxidation ditch modifications, splitter structure modifications, final clarifiers, chemical feed building, UV disinfection modifications, RAS pumping modifications, aerobic digester covers, biosolids mixing modifications, and a biosolids storage tank. The work includes site work, yard piping, structural, architectural, process piping and equipment, plumbing, heating, ventilation, air conditioning, electrical and instrumentation and control.  The work at the Westside Wastewater Treatment Plant includes construction of wastewater treatment facility chemical feed building and associated piping. The work includes site work, yard piping, structural, architectural, process piping and equipment, plumbing, heating, ventilation, air conditioning, electrical and instrumentation and	19,315,055.00	19,066,255.47	248,799.53	10,977.74	4.00	9/20/2019
CWSRF	Roselle	The project consists of the installation of a new influent pump station with four 3,480 gallons per minute (gpm) raw sewage pumps, four 8,340 gpm excess flow pumps, screening equipment, and all the necessary appurtenances to make the project complete and operational.	8,290,340.43	5,774,749.15	2,515,591.28	1,727,676.06	69.00	9/24/2021

			Total Obligated	Total Disbursed	Obligation Balance		% Disbursed of 12/15/2020	
Program	Recipient	Project Description		as of 12/15/2020	as of 12/15/2020	from 2020 Series	Balance	<b>Contruction Completion Date</b>
CWSRF	Roselle	The project includes upgrades to the oxidation ditch aerators at the Botterman WWTP.	664,030.23	92,102.71	571,927.52	571,927.52	100.00	5/31/2021
		This includes electrical, mechanical, and site work along with all the necessary						
		appurtenances to make the project complete and operational.						
CWSRF	Kishwaukee Water Reclamation District	The project consists of Phase IB Improvements to the District's wastewater treatment	53,055,766.00	51,525,784.57	1,529,981.43	1,117,424.90	73.00	7/7/2021
		plant. Project specifics include modifying existing piping to pump to the new biological						
		processes and flow in excess of the DMF to excess flow facilities; providing new circular						
		primary clarifiers and new primary sludge pumping facilities for the full DMF; providing a						
		new activated sludge process to meet anticipated amoonia limits and a 1.0 mg'L phosphorus limit; new circular final clarifiers for the full DMF; a new RAS/WAS pump						
		station with RAS at 100% of the DAF; convert three existing primary settling tanks to						
		excess flow clarifiers; a new building to house aeration system turbo blowers and						
		primary/fermenter sludge pumps; new, separate treatment of WAS thickening filtrate						
		and dewatering centrate (sidestream treatment) to reduce ammonia load to the						
		activated sludge process; new primary sludge fermentation facilities to produce VFSs						
		for the biological phosphorous removal process; selective upgrading of the existing						
		Supervisory, Control, and Data Acquisition (SCADA) system for monitoring and control						
		of the new facilities; extend the existing non-potable water (NPW) system to the new						
		complete treatment system with new pumps, piping, valves, and hydro-pneumatic tank						
		within an existing building; a new building to house electrical switchgear, automatic						
		transfer switch, and dual fuel (natural gas and biogas) generator; a new building to						
		house the laboratory, locker rooms, conference/break room, mechanical room, network						
		room, GIS/printer room, administrative offices, reception area and board room.						
		Implementation of the project also calls for the rental of two buildings and a lot to temporarily house the existing administrative operations and construction equipment.						
CWSRF	Mound City	The project consists of the rehabilitation of the City's wastewater treatment plant.	2,756,658.96	467,101.36	2,289,557.60	2,154,184.74	94.00	4/30/2022
CWSKI	Ividuria City	Activities include demolition of existing facilities, a new influent mechanical screen with	2,750,050.90	407,101.30	2,209,557.00	2,134,164.74	94.00	4/30/2022
		a manually cleaned bar screen in parallel; a two-cell covered aerated lagoon system;						
		sodium hypochlorination and sodium bisulfite dechlorination disinfection facilities;						
		effluent pump station; a backup generator; replacement of the existing pumps at Lift						
		Stations #1, #2, and #3; and the installation of approximately 9,000 feet of forcemain.						
CWSRF	Decatur, Sanitary District of	The project includes Cured in Place Pipe (CIPP) lining of approximately 2,969 linear feet	0.00	0.00	9,000,000.00	5,088,288.56	57.00	5/25/2022
		of 47-inch diameter elliptical sewer, 1,658 linear feet of 42-inch diameter sanitary						
		sewers, 612 linear feet of 36-inch diameter sanitary sewers, 7,907 linear feet of 30-inch						
		diameter sanitary sewers, 3,573 linear feet of 18-inch diameter sanitary sewers and						
		1,004 linear feet of 12-inch diameter sanitary sewer and approximately 741 vertical feet						
		of manhole lining. This project will also include restoration and all related						
CWSRF	Murrayville	appurtenances.  The project consists of the lining of approximately 10,033 feet of 8-inch sanitary sewers	543,358.29	431,570.59	111,787.70	100,733.36	90.00	12/29/2020
CWSKF	Iviuitayviile	with cured-in-place pipe lining, point repairs where needed, and manhole lining, along	343,336.28	431,370.39	111,767.70	100,733.30	90.00	12/29/2020
		with all the necessary appurtenances. This is Phase 2 of a multi-phased project.						
CWSRF	Joliet	This loan will fund the City of Joliet's 2020 Sanitary Sewer Rehabilitation Project. The	8,702,095.00	707,313.70	7,994,781.30	4,938,486.69	62.00	7/12/2022
		goal of the program is to increase the structural integrity of the system, minimize inflow	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		and infiltration, reduce the occurrence of sewer system overflows and combined sewer						
		overflows.						
1		The 2020 Sanitary Sewer Rehabilitation Program focuses on the sanitary sewer						
		systems in the Marycrest and Reedswood areas of Joliet. The scope of work includes						
		approximately 70,000 linear feet (LF) of pre-construction cleaning and televising. Plans						
		include air testing and grouting of 70 mainline joints of assorted pipe diameters, while						
		an additional 1,300 service laterals will be grouted, and an additional 800 service						
		laterals will have T-Liners installed. 365 manholes will be rehabilitated, in conjunction						
		with 65,000 LF of cured-in-place pipe lining for assorted pipe diameters. Associated site grading, paving, roadway and parkway restoration is also included in the scope of						
	1	Taite grading, paving, roadway and parkway restoration is also included in the scope of	I	<u> </u>		1		

_			Total Obligated	Total Disbursed	Obligation Balance		% Disbursed of 12/15/2020	
Program	Recipient	Project Description		as of 12/15/2020	as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Joliet	This loan will fund the City of Joliet's 2021 Sanitary Sewer Rehabilitation Project. The goal of the program is to increase the structural integrity of the system, minimize inflow and infiltration, reduce the occurrence of sewer system overflows and combined sewer overflows. The 2021 Sanitary Sewer Rehabilitation Program rehabilitates the sanitary sewer system in the Raynor Park, Northeast Area, Idylside and Twin Oaks neighborhoods. The scope of work includes approximately 85,000 Lineal Feet (LF) of Pre-Construction Cleaning and Televising; lateral liners for 550 service laterals; air testing/grouting of 70 mainline joints of assorted pipe diameters; 925 service laterals for	0.00	0.00	7,812,364.17	3,578,476.68	46.00	9/30/2023
		grouting; 76,000 LF of cured-in-place pipe lining for assorted pipe diameters; rehabilitation of 562 manholes; as well as all associated site grading, paving, roadway and parkway restoration.						
CWSRF	South Beloit	The project consists of two screens, a grit chamber, four anaerobic selector tanks, the conversion of activated sludge plant #1 into an integrated fixed film activated sludge and bionutrient removal system. There will also be two secondary clarifiers, the conversion of activated sludge plants #2 and #3 into aerobic digesters, a ferric chloride feed system, three disk filters, two UV reactors, sludge screw press, lime stabilization sludge system, and three blowers each rated at 2,100 cfm.	38,994,395.00	29,834,631.34	9,159,763.66	3,255,856.95	36.00	9/1/2021
CWSRF	Lake Arispie Sanitary District	Funds will be utilized to rehabilitate the wastewater treatment lagoon. The existing single-cell pond will be converted into a two-cell aerated lagoon with a new rock filter. The project includes piping and electrical equipment needed to make the treatment facility fully operational.	583,570.67	317,609.05	265,961.62	254,818.45	96.00	7/31/2021
CWSRF	East Peoria	This loan will fund work at the East Peoria wastewater treatment Plant number one (Phase A) and includes improvements to the headworks; installation of a new grit pump station and grit processing; capacity increase of the influent pump stations; renovations to the administration building; increase in the storm flow basin capacity; new 30" effluent force main to the river outfall; remove and replace the blower/chlorination building; construct a new non-potable water pump station and Vactor dump pad; site electrical power service and emergency generator improvements.  Phase B will include repairs and upgrades to the Route 8 pump station. The work includes expanding the existing pump intake wet well capacity; addition of variable frequency drive (VFD) for the pumps; site piping adjustments and renovation of the existing buildings. Equipment/electric overhaul of the system; replacing the existing 14" force main and improvements to the existing stormflow holding basin.  Phase C work at the East Peoria wastewater treatment Plant number three includes rehabilitating a section of the influent sewer; a new headworks; new sanitary and storm flow splitter box; new grit chamber and grit processing; re-purpose the existing split flow chamber; service building and package treatment plants for new processes. After demolition of the existing screen, the building will be retained for storage. Existing blowers will be rehabilitated, and new blowers will be added. New dewatering building and equipment; rehabilitation of the existing stormflow holding pond; return activated sludge (RAS) and sludge pump stations; dewatering underdrain equalization tank; expansion of the chlorination building; plant and lagoon drain pump stations; site electrical power service and emergency generator improvements; sludge storage pad/canopy and associated site piping.	t	32,800,755.37	8,848,355.63	7,368,541.65	83.00	8/5/2023

_	<b>5</b> · · · ·		Total Obligated	Total Disbursed	Obligation Balance		% Disbursed of 12/15/2020	
Program	Recipient	Project Description		as of 12/15/2020	as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Pontiac	This loan is for the conversion of the existing activated sludge WWTP to a biological nutrient removal process plant. Construction includes the installation of a new fine screen rated at 8.5 MGD, four influent pumps, new secondary clarifier, vortex grit trap,	42,774,250.00	16,744,168.93	26,030,081.07	18,918,446.33	73.00	6/30/2023
		additional phosphorus removal with chemical precipitation, two sludge drum thickeners, a dewatering screw press, existing chlorine contact tank upgrades, tertiary filter						
		upgrades, primary and secondary digester improvements, chlorination and dechlorination improvements, new blowers, rehabilitation of other treatment system						
		units, associated pumps, piping revisions, valves, and other appurtenances.  Additionally, the Fairview, North Division, and Airport Road pump stations (PS) will be						
		upgraded with pumps and other needed improvements including a new force main of approximately 1,634 feet from the Airport Road PS to the WWTP with five other PS's						
		receiving necessary rehabilitation. Other construction includes upgrades to CSO PS and CSO storage facility, roadway improvements at the WWTP site, additional storage						
OMODE	For Piece Water Pools and Piece Piece	building, and other necessary appurtenances.	40.050.000.00	4 000 050 00	40.700.400.74	0.440.004.04	05.00	0/0/0000
CWSRF	Fox River Water Reclamation District	This project consists of liquid facilities phosphorus improvements at the Albin D. Pagorski (ADP) Water Reclamation Facility (WRF), by incorporating Bio-P facilities into	12,650,686.00	1,928,259.26	10,722,426.74	9,119,264.61	85.00	3/2/2022
		the existing activated sludge process. The improvements include the following: improve treatment system hydraulics; additional mixing basins for nutrient removal; addition of						
		primary sludge fermenters; upgrade the thickened sludge pump station and addition of fermentation and elutriate pumps; upgrade the return activated sludge pumping station;						
		upgrade the gravity thickeners; ferric chloride and polymer pump station; new order control system; struvite recovery system; new sludge equalization tanks and mixing						
		pump station; new mixed liquor splitter box; modification of aeration tanks: construction of new buildings for some of the above equipment; and demolition of some existing						
011/075		equipment and structures.						7/2/2224
CWSRF	Fox River Water Reclamation District	The project consists of phosphorus removal improvements at the ADP WRF by incorporating struvite removal facilities into the digested sludge handling facilities. The	10,502,780.60	4,498,854.82	6,003,925.78	3,255,493.64	54.00	5/8/2021
		improvements include the following: improve treatment system hydraulics; additional mixing basins for nutrient removal; addition of primary sludge fermenters; upgrade the						
		thickened sludge pump station and addition of fermentation and elutriate pumps; upgrade the return activated sludge pumping station; upgrade the gravity thickeners;						
		ferric chloride and polymer pump station; new odor control system; struvite recovery system; new sludge equalization tanks and mixing pump station; new mixed liquor						
		splitter box; and modification of aeration tanks.						
CWSRF	Mount Carroll	Construction of a new wastewater treatment plant which will include a new vertical screen; four pumps rated at 512 gallons per minute (GPM) each; a vortex grit chamber;	13,303,600.00	11,475,234.67	1,828,365.33	1,189,299.38	65.00	5/21/2021
		grit classifier; three 40 HP blowers; a 300 lb./hr sludge belt press; an activated sludge plant with a Bio-P fermentation zone; a Bio-P selector tank; two first stage aeration						
		tanks; two second stage aeration tanks; and two third stage aeration tanks; four clarifiers; two digesters; a sludge storage tank; 48 UV lamps; two effluent pumps rated						
		at 905 gpm; and a 475,000 gallon equalization tank. This project will also include the abandoning and demolishing of the existing wastewater treatment facility. Center Street						
		Lift Station upgrades will include two 380 gpm pumps, new controls, and a standby						
		generator. Upon completion of this project the new treatment plant will have a Design Average Flow of 0.36 MGD and a Design Maximum Flow of 1.3 MGD.						
CWSRF	O'Fallon	The project consists of the construction of a RAS/WAS pumping station, chemical phosphorus removal system, tertiary filter system, sludge storage and dewatering system, as well as all the necessary appurtenances to make the project complete and	0.00	0.00	15,311,174.00	368,224.12	2.00	9/22/2023
CWSRF	Channahon	operational.  The project consists of a new 716,000 gallon outer ring added to the existing oxidation	9,508,309.50	8,782,103.65	726,205.85	454,968.94	63.00	1/31/2021
		ditch, three 15 hp aerators for the ditch, a 750 gpm return activated slugde pump, 2 waste activated sludge pumps, a chemical phosphorus removal system, UV lamps,						
		blowers, sludge storage component, generator and all the necessary appurtenances to make the project complete and operational.						

			Total Obligated	Total Disbursed	Obligation Balance	\$ Disbursed	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series		Contruction Completion Date
CWSRF	Sangamon County Water Reclamation District	The project consists of a new intermediate pump station, 3 pumps rated at 13,988 gpm each at 9.85 TDH, new UV disinfection system, and all the necessary appurtenances to make the project complete and operational.	0.00	0.00	6,875,000.00	5,470,355.86	80.00	4/1/2023
CWSRF	Rochelle	The City is proposing to upgrade aging and deteriorating equipment, while at the same time improving the operation of the water reclamation plant in order to meet effluent water quality standards. This project will convert the existing single stage nitrification activated sludge process to biological nutrient removal (BNR). A key component of the conversion is the existing anaerobic pretreatment lagoon: which will be cleaned-out and restored. Restoration of the lagoon includes a new liner; new cover; new biogas collection system; and biogas flare system restoration. The System 1 Lift Station, is being converted to a submersible pump station to ensure smooth operation of the anaerobic lagoon. The mechanically cleaned screen and grit washer are being replaced to improve the removal of screenings and grit to protect the new BNR system. A new administration building, which will include a new Control Room, is also part of this project. The building will house all staff and vehicles. The city will repurpose two 180' diameter trickling filter slabs to store and dry sludge, which will then be land applied. A new SCADA system will provide operational control and monitoring of the water reclamation plant treatment processes and the sanitary sewer system lift stations. Fiber optic line installation will allow system communication and control at remote buildings on the plant grounds. The Cleveland #2 lift station will be eliminated and replaced with a 15" diameter gravity sanitary sewer that will be tributary to the Jack	7,000,000.00	5,454,520.96	1,545,479.04	1,170,553.23	76.00	3/21/2021
CWSRF	Metropolitan Water Reclamation District of Greater Chic	Dame Drive lift station.  This project includes excavation to create a 600 acre-foot flood control reservoir and the installation of all the necessary appurtenances such as control structure, inlet structure, spillway piping and a pumping station. This project is located in Bellwood just north of	60,063,632.25	25,721,800.00	34,341,832.25	10,771,323.32	31.00	3/22/2022
CWSRF	Elmhurst	Washington Boulevard and east of Addison Creek.  The project consists of improvements to the City of Elmhurst's Water Reclamation Facility (WRF). This loan covers what is considered to be Phase II of the project, and entails the following activities: construction of approximately 5,600 lineal feet of 8-inch and 6-inch nonpotable water mains with 15 yard hydrants and 10 valves and boxes; 2,000 lineal feet of 8-inch and 6-inch potable water mains with 6 fire hydrants, 8 valves and boxes; 1,500 lineal feet of 4-inch and 2-inch natural gas mains with 8 valves and boxes, 3,800 lineal feet of fiber optic cable; 14,000 lineal feet of 3.5-inch and 3-inch PVC electrical conduit; 2,100 lineal feet of underground electrical conduit; 4 electrical vaults; utility service connections; 11,100 lineal feet of vacuum excavated trenches for S.U.E. locates; 5,300 square yards of pavement patching; process and control integration; 40 hose reels and 2,600 lineal feet of hose; construction of an Electrical Distribution Building; and various other miscellaneous associated work.	6,099,040.27	4,908,928.51	1,190,111.76	1,170,217.72	98.00	11/13/2020
CWSRF	Elmhurst	The project consists of improvements to the City of Elmhurst's Water Reclamation Facility (WRF). This loan covers what is considered to be Phase III of the project, and entails the following activities: a new 8-foot diameter precast wet well; a 6-foot diameter precast meter vault; a new pre-fabricated system control and generator building; decommissioning of the existing lift station; raw crew pumps and belt filter presses replacement; the installation of a new natural gas emergency generator; replacement of electrical components at the North Industrial Lift station; the installation of gas sensors; and other miscellaneous site work.	8,502,766.18	7,109,340.05	1,393,426.13	1,356,991.69	97.00	2/18/2021
CWSRF	Elmhurst	The project consists of the demolition of the existing and construction of a new Digester Control Building; hydronic system improvements including the pump replacement; primary sludge and digested sludge improvements including new sludge grinders and pumps; replacement/upgrades to the digester covers; upgrades to the biogas equipment and mixing process; demolition of a storage shed; and the replacement of miscellaneous associated equipment and appurtenances.	0.00	0.00	9,581,070.00	4,028,532.75	42.00	5/19/2023

			Total Obligated	Total Disbursed	Obligation Balance	\$ Disbursed	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Metropolitan Water Reclamation District of Greater Chi	The project includes the rehabilitation of the North Branch Pumping Station. Repairs	4,713,743.50	2,149,100.00	2,564,643.50	219,000.00	9.00	1/3/2020
		will be made on the concrete columns, concrete deck, walls, and stairs. Rip-rap around						
		the structure will also be redone as well. All equipment is being installed to replace						
		older worn out pieces of equipment that have reached the end of their useful life.						
CWSRF	Thomson	This loan will fund the rehabilitation of the two existing clarifiers and associated	1,117,109.00	110,378.80	1,006,730.20	1,065,729.77	100.00	12/29/2021
		equipment at the treatment plant; construction of a new duplex submersible lift station,						
		and new pump control panel installation.						
CWSRF	Arthur	The project consists of the lining of approximately 48,000 lineal feet of 6 to 15-inch	2,036,567.63	1,690,055.75	346,511.88	358,667.32	100.00	1/30/2021
		diameter sewer main and 1,685 lineal feet of vertical manholes.						
CWSRF	Harvard	The project consists of the installation of 3 new pumps at the Northfield Pump Station,	0.00	0.00	22,000,000.00	15,220,046.53	69.00	8/7/2023
		raw sewage pump station, a new screen and replacement grit chamber, primary						
		treatment pump station, construction of a new oxidation ditch, two secondary clarifiers,						
		two primary sludge pumps, new sludge equipment and storage barn, and miscellaneous						
		associated piping and electrical equipment and appurtenances.						
CWSRF	Algonquin	This project includes several upgrades to the waste water treatment plant which include	16,332,466.50	8,135,453.52	8,197,012.98	6,563,098.67	80.00	8/5/2022
		the following items: completing upgrades to primary clarifiers; replacement of several						
		probes at the biological nutrient removal tanks; adding nitrate and phosphorous						
		monitoring; installation of a anti-static system to the methanol storage tanks;						
		replacement of submersible mixers, weirs and baffles in the final clarifier; installation of						
		electric actuators with battery back-up on the return activated sludge line; replacement						
		of the Ultra Violet (UV) disinfection system to include a new SCADA system; conversion						
		of the existing aeration tanks to aerobic digesters including replacement of the existing						
		aeration system with course bubble aeration equipment; replacement of the existing						
		centrifugal blowers with five positive displacement rotary lobe blowers, a new aluminum						
		cover, four anaerobic digester covers, sludge transfer piping, digester gas collection						
		piping, gas safety equipment, sludge mixing pumps, sludge re-circulation pumps, one of						
		two boiler and heat exchangers, and a new waste gas burner; installation of mechanical						
		mixers in digesters 901 and 903; replacement of the existing gravity belt thickener, feed						
		pumps, thickened waste sludge pumps, and polymer blending and feed equipment;						
		removal of the Parshall Flume; installation of an electromagnetic meter in the metering						
		vault; replacement of the protected water break tank, water break tank pumps, and non-						
		potable water pumps; and construction of the extension of the existing non-potable						
		water distribution system to the main building.						
CWSRF	Algonquin	Relocate and replace 16-inch and 18-inch diameter sanitary sewers with the following:	2,569,505.94	2,479,539.47	89,966.47	202,590.09	100.00	9/30/2020
		1,752 linear feet of 30-inch diameter sanitary sewer, 1,016 linear feet of 24-inch						
		diameter sanitary sewer, 341 linear feet of 12-inch diameter sanitary sewer, 7 linear feet						
		of 10-inch diameter sanitary sewer, 35 linear feet of 8-inch diameter sanitary sewer and						
		18 manholes. This project will also include the removal of the North Harrison Street Lift						
		Station; modifications to the Riverfront Lift Station; and all related appurtenances to						
		make project complete and operational.						
CWSRF	Algonquin	Construction of a lift station with 3 pumps rated at 1,050 gallons per minute; 13 linear	5,164,060.00	3,752,459.31	1,411,600.69	399,456.95	28.00	1/14/2021
		feet of 8-inch diameter force main, 364 linear feet of 8-inch diameter sanitary sewer,						
		287 linear feet of 10-inch diameter sanitary sewer, 54 linear feet of 12-inch diameter						
		sanitary sewer, 137 linear feet of 24-inch diameter sanitary sewer and 3,175 linear feet						
1		of 30-inch diameter sanitary sewer; 25 manholes and all related appurtenances and						
		restoration to make the project complete and operational. This project will occur along						
		LaFox River Drive, Harrison Street, Washington Street and Algonquin Road.						

			Total Obligated	Total Disbursed	Obligation Balance		% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020	as of 12/15/2020	as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Stockton	This is Phase 1 of a two-phase project. This project will include construction of equalization lagoons and a new sludge storage building (80' x 60') at the Wastewater Treatment Facility (WWTF); construction of a Brewster Cheese Lift Station and control building; installation of 7,500 linear feet of 6-inch diameter force main from Brewster Cheese Lift station to Stockton's WWTF; installation of 3,750 linear feet of 8-inch diameter water main to the WWTF; installation of 2,600 linear feet of 30-foot diameter interceptor sewer; upgrades to the Simmons and Cherry Street Lift Station including installation of flow meters and controls. The project will also include all related appurtenances and restoration to make the project complete and operational.	0.00	0.00	6,404,831.00	4,939,370.20	77.00	9/1/2023
CWSRF	Chicago	The project is a continuation of the City's 3-year sewer lining contract, which was awarded in 2016. Activities associated with this loan consist of lining approximately 42 miles of sewer main throughout the City's Far North, North, Central, South, and Far South Districts.	60,200,000.00	48,809,589.44	11,390,410.56	9,761,163.17	86.00	8/31/2020
CWSRF	Chicago	The project entails work that will be performed as part of a 5-year sewer rehabilitation program conducted throughout the City. Approximately 9 miles of 12 to 60-inch diameter sewer main will replace existing, aging sewer main.	39,393,514.14	29,641,172.13	9,752,342.01	1,617,888.54	17.00	10/7/2020
CWSRF	Kirkland	The project consists of stormwater improvements to part of Bull Run Creek, which includes: excavation of approximately 23,076 cubic yards of soil, shaping and regrading to construct 3.7 acres of compensatory storage/additional low elevation wetland areas that will be restored with native water tolerant species; construction of approximately 884 lineal feet of rock toe streambank protection and inlet and pipe protection, removal of existing storm sewer, tree removal, install storm sewer; and erosion control.	571,486.74	452,821.68	118,665.06	95,434.72	80.00	2/28/2021
CWSRF	St. Charles	This loan will fund the Rehabilitation of the Country Club Lift Station with structural lining of the wet well; installation of a grease trap; two new pumps; piping; valves; and hatches. The two new pumps will be rated to flow 100 gallons per minute each. The lift station will be integrated into the City's SCADA system.		0.00	544,886.78	533,463.69	98.00	11/20/2021
CWSRF	Harrisburg	The project consists of a new pump station (PS), approximately 8,000 lineal feet of 16-inch diameter forcemain, approximately 70 feet of 24-inch diameter sanitary sewer, construction of two manholes, electrical, restoration, and other appurtenances.	1,651,517.95	133,338.00	1,518,179.95	1,341,055.35	88.00	5/13/2022
CWSRF	Wilmette	The project entails the lining of approximately 43,000 lineal feet of 8 to 24-inch sanitary sewer lines via cured-in-place pipe (CIPP) methodology at various locations throughout the Village. The project is a continuation of the Village's ongoing sewer system rehabilitation program.	2,000,000.00	1,771,372.00	228,628.00	85,263.00	37.00	1/15/2021
CWSRF	Oneida	The project includes improvements to the North and South wastewater treatment plants (WWTP). Construction will include sludge removal from the lagoons and regrading of the lagoon slopes, new bar screens, new aeration equipment including aerators, aeration piping, valves, electrical, restoration, and other appurtenances.	1,469,253.11	135,963.17	1,333,289.94	1,130,785.91	85.00	5/31/2022
CWSRF	Metropolitan Water Reclamation District of Greater Chic	The project consists of the rehabilitation of the mainstream TARP pumps 1, 3, and 5, including the motors as well as the rotating assemblies. All associated valves and ancillary systems will receive rehabilitation also.	0.00	0.00	24,051,416.70	356,600.00	1.00	10/20/2024
CWSRF	Crestwood	The project consists of the lining of approximately 10,000 lineal feet of 8 to 10-inch diameter sanitary sewer, 400 sewer laterals, and miscellaneous collection system repairs. These activities will reduce I/I and alleviate flooding/backups in the system in the Playfield II Subdivision.	2,323,951.32	1,209,838.69	1,114,112.63	1,174,560.87	100.00	3/20/2021
CWSRF	Addison	Funds will be used for the rehabilitation of the existing digester system at the North Waste Water Treatment Plant. The work will include three new mixing pumps; new 45-foot diameter digester covers; new combination boiler-heat exchangers and miscellaneous associated piping and electrical equipment.	7,220,810.00	1,693,243.57	5,527,566.43	5,457,608.68	99.00	6/11/2022
CWSRF	New Berlin	The project consists of improvements to the existing wastewater treatment plant (WWTP) and replacement of the existing northeast, southeast, and southwest sewage lift stations. The WWTP improvements include: excavation; construction of an aerated lagoon and rock filter system with synthetic lagoon liners; gravity sewer piping and manholes; a new effluent structure; electrical upgrades; appurtenances; and construction site restoration.	3,536,400.00	1,572,178.42	1,964,221.58	581,659.17	30.00	6/13/2022

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
CWSRF	Fairmont City	The project consists of lining approximately 8,634 lineal feet of sanitary sewers ranging		0.00	806.494.92		73.00	12/9/2022
CWSKF	Fairmont City	in size from 8-inches in diameter up to 27-inches in diameter with Cast in Place Pipe	0.00	0.00	000,494.92	390,333.03	73.00	12/9/2022
		(CIPP) liner, approximately 60 lineal feet in point repairs and other related						
		appurtenances.						
CWSRF	Springfield	The project consists of the cured-in-place pipe lining and manhole rehabilitation on	3,111,051.50	2,347,788.28	763,263.22	445,446.97	58.00	4/10/2021
OWOR	Opinightia	sewers between Cook Street and South Grand Avenue from 12th Street to Martin	3,111,031.30	2,547,700.20	700,200.22	440,440.07	30.00	4/10/2021
		Luther King Jr Drive. This is the third loan of a multi-phased project for the City of						
CWSRF	Geneseo	The loan will consist of two construction contracts. One contract is for WWTP	0.00	0.00	10.506.636.94	7,808,457.26	74.00	5/1/2023
		improvements including a new headworks building with a new mechanical bar screen		3.33		1,000,000		5, 7, 20 20
		and grit removal equipment, 3 new influent pumps, variable frequency drives and						
		isolation valves; conversion of the anaerobic digesters to aerobic digesters, new						
		diffusers, three new blowers for mixing; disinfection improvements including liquid						
		chemical feed facilities for sodium hypochlorite and bisulfite tanks inside the existing						
		sludge storage building and feed lines for the chemicals to the excess flow lagoon;						
		replacement of the primary sludge pump and valves; new electrical building and						
		equipment; installation of a rotary fan press dewatering system and emulsified polymer						
		addition system; and other appurtenances. The second contract consists of the						
		replacement of three existing can type lift stations (LS) with submersible type LS's.						
CWSRF	Wyoming	The project consists of a WWTP upgrade. Construction includes: rehabilitation of the	0.00	0.00	3,303,828.00	482,257.07	15.00	8/26/2023
		oxidation ditches including surface mounted aeration systems, controls, panels and						
		other miscellaneous repairs; rehabilitation of both clarifiers, rebuild of the central drive						
		on the east secondary clarifier; replacement of the existing sand filters with new disk						
		filters; various electrical and control improvements; regrading of the area around the						
CWSRF	Quincy	sludge drying beds for drainage; and other related appurtenances.  This is Phase 1 of a four-phase project. The proposed project includes improvements	0.00	0.00	4 477 690 00	2 000 000 00	74.00	6/1/2022
CWSKF	Quincy	to the wastewater collection system. Year 1 improvements includes installation of 32	0.00	0.00	4,177,680.00	3,080,080.00	74.00	6/1/2022
		linear feet of 15-inch diameter sewer; 65 linear feet of 24-inch diameter sewer; 39 linear						
		feet of 30-inch diameter sewer; 48 linear feet of 66-inch diameter sewer and 10						
		manholes; removal of non-functioning flow control gates at all existing underground						
		diversion structures to maximize the flow of combined sewage to the Wastewater						
		Treatment Plant; reconfiguring the Dicks-Payson and Broadway underground diversion						
		structures; and raising the rim elevation of select existing manholes on interceptor						
		sewers paralleling the Mississippi River.						
CWSRF	Franklin Park	This project combines the Phase 3 and Phase 4 Rueter Subdivision sanitary and storm	2,275,069.15	49,014.00	2,226,055.15	2,039,626.00	92.00	1/6/2022
		sewer rehabilitation. Construction includes the installation of approximately 2,710 feet of	f					
		8-inch diameter sanitary sewer, 910 feet of 10-inch diameter sanitary sewer, 120 feet of						
		12-inch diameter sanitary sewer, 17 sanitary sewer manholes, approximately 2,245 feet						
		of storm sewer ranging from 6-inches up to 23-inches in diameter, a storm sewer						
		detention facility on the corner of Nevada and 25th Avenue, sewer service line						
		reconnections, surface restoration, and other related appurtenances.						
CWSRF	Sangamon County Water Reclamation District	The project consists of the construction of 391 ft of 48-inch sanitary sewer and 3	0.00	0.00	1,359,800.01	1,188,977.55	87.00	10/31/2022
		manholes and all the necessary appurtenances. This project will disconnect two						
		existing storm sewers from the combined sewer system. With the completion of this						
		project, the Bond and Patton Overflow will be closed. The District will also have sewer						
CWSRF	Chicago	lining performed near the Bond and Patton Overflow.  Funds will be utilized for the rehabilitation of sewers by lining a total of 250,000 LF of	54,100,000.00	0.00	54,100,000.00	26,785,407.38	50.00	8/9/2022
CWSRF	Chicago	sewers ranging in diameter between 8-inches and 60-inches (50,000 feet per contract).	54,100,000.00	0.00	54,100,000.00	20,785,407.38	50.00	8/9/2022
		Pipe lining is a repair method accomplished by inserting flexible tubing, which is						
		impregnated with a resin, into an existing pipe and curing the resin in place. The cured-						
		in-place resin forms a water-tight barrier inside of the damaged pipe. Generally, lining is						
		more economical than replacing the damaged sewers but cannot be utilized if structural						
		problems are severe. If needed, spot repairs or replacement of pipes will be performed.	` <b> </b>					
L	I .	Iprobleme are severe, it needed, spot repairs of replacement of pipes will be performed.				1		

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
CWSRF	Eldorado	Funds from this loan will be used to rehabilitate the Main and Organ Street Pump Stations along with lift stations at the Waste Water Treatment Facility (WWTF). The work at the Main Street Pump Station includes the installation of 2 replacement pumps, each with a rated capacity of 170 gallons per minute (GPM) at 19 feet of total depth to head (TDH). The work at Organ Street Pump Station includes the installation of 2 replacement pumps, each with a rated capacity of 230 GPM at 32 feet of TDH. At the WWTF, 4 pumps will be replaced at the influent lift station and 2 pumps will be replaced at the lagoon lift station.	0.00	0.00	320,198.75	211,416.07	66.00	11/4/2022
CWSRF	Niles	The loan will fund the Village of Niles' Greenwood Stormwater Basin Project. Specific activities entail the construction of a 121,968 cubic foot underground stormwater storage vault and a 1-acre open water basin; the installation of approximately 4,000 lineal feet of 36 to 54-inch diameter storm sewer main and associated manholes and other appurtenances. This project is considered "green" due to the aspects such as permeable pavement and park-like green spaces.	0.00	0.00	8,716,212.34		85.00	8/26/2022
CWSRF	Germantown	The Village will be replacing approximately 5,125 feet of 8-inch and 920 feet of 10-inch sewer main and 22 manholes. This project will be replacing vitrified clay pipes (VCP) with polyvinyl chloride (PVC) pipes.	801,226.93	0.00	801,226.93	563,507.34	70.00	4/9/2021
CWSRF	Villa Park	The project consists of the separation of combined sewers. Activities include the installation of approximately 5,670 linear feet of storm sewer; manholes, inlets and catch basins, drainage and utility improvements, and other miscellaneous	0.00	0.00	1,887,000.00	1,357,965.20	72.00	1/10/2023
CWSRF	Kishwaukee Water Reclamation District	The project consists of consolidating the Village of Malta and Kishwaukee Community College's wastewater treatment by decommissioning their existing wastewater treatment facilities and connecting their service to the Kishwaukee WRD. Specifics of the project include the installation of 2 new pump stations, approximately 11,150 lineal feet of sewer main, 17,700 lineal feet of forcemain, and 27 manholes.	0.00	0.00	7,122,910.00	4,503,535.46	63.00	4/9/2023
CWSRF	East Peoria	This loan will fund what is known as Waste Water Treatment Plant #1 (WWTP #1) Phase D Improvements and will complete the final stage of work at East Peoria's WWTP #1. The plant is located at 701 Cass Street in East Peoria. Existing equipment and tankage will be reconfigured, which will allow for the conversion to a new secondary treatment process known as Biological Nutrient Removal (BNR). One existing, undersized secondary clarifier will be demolished, and two new circular, secondary clarification tanks will be constructed. Three existing circular digester tanks will be repaired and renovated. New air diffusion and blower equipment will allow for conversion to aerobic digestion. Three existing primary clarifiers will be demolished. One existing large primary clarifier will receive repairs and upgrades. The existing chlorine contact tank and its associated equipment will be repaired and revised. Similar work will be performed on both the sludge dewatering building and dewatered sludge storage area. Improvements to the process underflow and recycle stream capture in addition to the associated pump station will occur. The existing effluent pump station will be revised, renovated and expanded.	0.00	0.00	25,514,289.00	16,692,617.95	65.00	11/3/2023
CWSRF	West Frankfort	The project includes the installation of approximately 4,363 lineal feet (LF) of sanitary sewer mains including 1,250 LF of 8-inch, 645 LF of 10-inch, 1,186 LF of 12-inch, and 1,282 LF of 15-inch diameter pipe. Also included in the project are 15 manholes and other related appurtenances.	114,426.21	60,481.70	53,944.51	24,265.21	45.00	11/15/2021
CWSRF	Georgetown	The project entails upgrades to the City's wastewater treatment plant. Specific activities consist of the replacement of the rotary distributor center column and arms for the trickling filter; rehabilitation of the final settling tanks; and the replacement of pumps and coating the wetwell at the packed bed reactor lift station.		0.00	810,268.13	711,061.43	88.00	12/31/2022

			Total Obligated	Total Disbursed	Obligation Balance	•	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series		Contruction Completion Date
CWSRF	Buffalo Dawson Mechanicsburg Sewer Commission	Proceeds from this loan will be used to remove the existing rapid sand filters and replace them with two, 3-foot X 3-foot compressible media filter units. A 5-foot diameter wet well with two pumps, each rated at 100 gallons per minute at 175 feet of total depth to head, will pump filter unit backwash water to the lagoon. A 2.5-foot X 2.5-foot valve vault, and a new 6-foot X 6-foot effluent structure for lagoon #3 will be included in the work. The effluent structure will have draw off elevations of 571-feet mean sea level (MSL); 573-feet MSL; and 575-feet MSL. The lagoon banks will be cleared, grubbed, and regraded. Finally, RR3 size, crushed stone rip rap will be installed on the lagoon banks.	0.00	0.00	1,500,000.00	378,652.00	25.00	8/22/2023
CWSRF	Bloomington	Approximately 8 manholes, 20 linear feet of 10-inch diameter sanitary sewer, 106 linear feet of 12-inch diameter sanitary sewer, and 703 linear feet of 18-inch diameter sanitary sewer will be constructed along Moore and Olive Streets. This project will also include all related appurtenances and restoration to make project complete and operational.		0.00	2,205,533.65	533,716.96	24.00	6/30/2023
CWSRF	Crestwood	The project consists of the lining of approximately 7,500 lineal feet of 8 to 10-inch diameter sanitary sewer to reduce I/I and alleviate flooding/backups in the system in the Playfield 3 Subdivision.	0.00	0.00	809,784.98	756,706.29	93.00	1/13/2022
CWSRF	Metropolis	Funds from this loan will be used by the City of Metropolis to replace Chlorine Contact Tank #1 at the Waste Water Treatment Plant with an Ultraviolet Disinfection unit to sterilize plant effluent.	0.00	0.00	885,103.05	778,354.06	88.00	9/29/2022
CWSRF	Batavia	The proposed project entails the separation of the combined sewer system in Area 3. Approximately 2,600 lineal feet of storm sewer pipe and associated storm sewer structures will be constructed to convey the runoff from Area 3. The Area's existing pipe will then be utilized to convey sanitary waste only.	785,337.61	538,450.67	246,886.94	338,618.46	100.00	12/4/2020
CWSRF	Crest Hill	The City's East (WRF) is in need of upgrades in order to meet future NPDES limits and population projections, as well as to provide additional loading to the West WRF. The project consists of improvements to the City's East Water Reclamation Facility (WRF) consist of new facilities for biological phosphorous removal (BPR) and chemical phosphorous removal (CPR). Specific activities include a new concrete tank built adjacent to the existing oxidation ditch with a new influent pipe; a new sludge storage tank; new submersible mixing equipment in the anaerobic tank; an internal recycle pump to recycle mixed liquor from the oxidation ditch to the anaerobic tank; a downward opening weir between the anaerobic tank and the outer channel of the oxidation ditch; a new prefabricated structure to house CPR equipment; a 5,000-gallon bulk storage tank for storing CPR chemicals; two chemical feed pump skids for forward flow and excess flow; chemical piping for dosing CPR chemical at the final clarifier splitter structure and the excess flow splitter structure.		0.00	5,910,700.00	1,096,826.38	19.00	7/1/2023
CWSRF	St. Charles	Funds from this loan will be used to increase the capacity of the Water Reclamation Facility (WRF) from 0.70 to 1.05 million gallons per day (MGD). The work includes the following improvements: replace one existing raw sewage pump and install one additional raw sewage pump with variable frequency drives; replace one existing preliminary treatment screening unit and install one additional screening unit. The existing aeration basins will be modified for a biological nutrient removal (BNR) process. Chemical addition for nutrient polishing will also be incorporated. Two existing return activated sludge (RAS) pumps will be replaced and one new pump will be added within the existing structure.  The existing tertiary clarifiers will be converted to secondary clarifiers and the clarifier mechanisms, drives, gear reducers, control panels, grating and railing will be replaced. Tertiary filters will be constructed. The existing UV system will be replaced. A new non-potable (treated effluent) pumping station will be constructed and it will include a filtration system and hydropneumatic tank. The aerobic digestion blowers, electrical switchgear, and mechanisms will be replaced. A sludge handling building with sludge dewatering equipment; sludge feed pumps; polymer feed system; sludge conveyors; digested sludge storage tank and non-potable water system will be built. It will include electrical work and integration into the existing plant SCADA system. A sludge storage barn, adjacent to the proposed sludge dewatering building will be built.		0.00	20,822,600.00	11,163,592.10	54.00	1/8/2023

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date	
CWSRF	Hurst	The project consists of the following improvements: repair of the inner slopes of the	0.00		806,600.31	108,138.15	13.00	7/31/2023	
CWSKF	Huist	primary lagoon berm; replacement of the existing influent manhole on the primary	0.00	0.00	800,000.31	100,130.13	13.00	7/31/2023	
		lagoon (the force main from the Village of Bush will be re-directed to discharge into the							
		influent manhole); the access route to the outfall structure will be replaced and							
		reconstructed; piping will be reconfigured to allow by-passing the primary and							
		secondary lagoons and the rock filters; replacement of the existing valves on the piping							
		system; modification of the overflow pipe of each lagoon in order to maintain capacity;							
		replacement of the rock filter media; increase the height of rock filter to allow for							
		operation at higher water levels; replacement/modification of the chlorination system;							
		and provide a dichlorination system.							
CWSRF	Wood River	The project involves the construction of the East End Detention Basin, consisting of	0.00	0.00	2,045,648.75	1,656,605.65	81.00	11/25/2022	
		ditch closure and infiltration chambers, a new stormwater detention basin, a stormwater							
		pump station, approximately 4,690 l.f. of 12-inch force main, 326 l.f. of storm sewers							
		ranging from 12 to 60-inches in size, and all the necessary appurtenances to make the							
		project complete and operational.							
CWSRF	West Frankfort	The project includes the installation of approximately 994 lineal feet (LF) of sanitary	371,198.75	109,793.75	261,405.00	69,992.25	27.00	9/30/2021	
		sewer along Taft Street including 894 LF of 21-inch and 100 LF of 24-inch diameter							
		pipe, 8 manholes and other appurtenances.							
CWSRF	Glenbard Wastewater Authority	The project consists of the replacement of the existing belt filter presses for biosolids	0.00	0.00	2,490,750.00	2,052,700.00	82.00	3/24/2022	
	,	dewatering, along with all the necessary appurtenances.			,,	,,			
CWSRF	Charleston	The project consists of the following: conversion of aerobic digester tanks #7 and #8 to	0.00	0.00	0.00 8,383,255.00	1,119,228.98	13.00	2/25/2023	
0.1.0.1.	onanosis.	sludge storage tanks; installation of screw press, Biosolid Reactor, lime storage tank,	0.00	0.00	3,000,200.00	1,1.0,220.00		2/20/2020	
		and lime pump. The installation of a modified enhanced biological phosphorus removal							
		process using existing tanks with addition of eight mixers, one 3,437 gpm RAS/WAS							
		pump, and a 4,583 gpm recycle pump. Also, all the necessary piping, electrical, and							
		ancillary equipment to make the project complete and operational.							
CMCDE	East Dubuque	The proposed project consists of the replacement of approximately 510 lineal feet of 8-	0.00	0.00	426,239.23	412,520.08	97.00	10/12/2022	
CWSRF	East Dubuque		0.00	0.00	420,239.23	412,520.08	97.00	10/12/2022	
OWODE	North and Managina Wasternata Dealers die District	inch sanitary sewer main on Beecher Street.  Funds from this loan, combined with IEPA Unsewered Community Grant C175987, will	0.00	0.00	5.292.455.55	532.710.67	40.00	6/12/2023	
CWSRF	Northern Moraine Wastewater Reclamation District		0.00	0.00	5,292,455.55	532,710.67	10.00	6/12/2023	
		provide sanitary sewer service to the 276 single family residences in the Village of							
		Holiday Hills and 29 homes in the Le Villa Vaupell subdivision. The scope of work							
		includes the addition of 9,450 lineal feet (LF) of Sanitary Sewer and 3,850 LF of							
		Sanitary Force Main throughout the Village of Holiday Hills. The project also includes							
		the construction of a new lift station with a wet well, valve vault and meter vault, as well							
		as a new generator and control building. Residents will be disconnected from their							
		current private septic systems upon connection to the new sanitary sewer.							
CWSRF	Durand	A new main influent lift station will be built at the wastewater treatment plant, including	0.00	0.00	2,000,000.00	185,421.25	9.00	3/15/2023	
		pumps, motors, structure, valve, and valve vault. The standby influent lift station,							
		SCADA system, and lagoon piping will be modified. About 190 ft of 6" watermain will							
		have to be relocated. Lastly, two lagoon cells will be dredged.							
CWSRF	Ridgway	The project includes the installation of approximately 371 lineal feet of 10-inch diameter	0.00	0.00	231,988.50	111,179.71	48.00	4/22/2023	
		sewers, lining of approximately 101 manholes, and other necessary appurtenances.							
CWSRF	Wood Dale	The project consists of finalizing the remaining 200 LF of the Squaw Creek	0.00	0.00	6,297,189.24	5,756,512.97	91.00	12/31/2021	
		rehabilitation, construction of a 7 acre-feet underground stormwater detention basin at			2, 2 , 22				
		the Westview Elementary School, a hydrodynamic separator to filter first flush							
		contaminants, approximately 650 LF of storm sewers ranging from 6-inches up to 30-							
		inches in diameter, restoration, and other appurtenances.							
CWSRF	Danville Sanitary District	The project includes the replacement of one primary sludge inline grinder pump, 2	0.00	0.00	9,667,667.85	2,050,992.82	21.00	9/15/2023	
3440141	Barring Garitary District	primary sludge pumps, 3 screw centrifugal pumps, the rehabilitation of two 100 ft	0.00	0.00	9,007,007.03	2,000,002.02	21.00	3/13/2023	
		diameter clarifiers and two 55 ft clarifiers, the addition of a combined heat and power							
		· ·							
		cogen engine to utilize biogas produced in the anaerobic digester, the installation of two							
		spiral heat exchangers, and all the necessary appurtenances to make the project							
		complete and operational.							

			Total Obligated	Total Disbursed	Obligation Balance	\$ Disbursed	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020	as of 12/15/2020	as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
CWSRF	Four Rivers Sanitation Authority	The project consists of: the replacement of primary settling tanks 1 and 2 with two cloth media disk filtration units, two backwash pumps, two solid waste pumps, a high primary filter wet well with four pumps, a gravity thickener, a sludge discharge pump, a scum pump, two primary filtration thickened sludge pumps, and all the necessary appurtenances to make the project complete and operational.	0.00	0.00	20,391,399.00	2,340,435.68	11.00	11/24/2023
CWSRF	Lake Villa	The Village will be rehabilitating the Grand Avenue Sanitary Sewer to accommodate an IDOT construction project to take place in July 2022. Approximately 1,000 feet of 8-inch sewer and 1,050 feet of 12-inch sewer will be relined in place. Manholes will be chemically grouted, relined, and elevated to conform with the new pavement. Sewer lateral services will be reinstated.  The impending Grand Avenue Widening and Dry Land Bridge Project will install dry land piers and elevate the pavement, disrupting existing manholes. To accommodate this	0.00	0.00	431,141.94	4,492.00	1.00	6/30/2022
CWSRF	Peoria	construction, the sanitary sewers underneath must be rehabilitated and modified.  This loan will fund the first year of the Peoria Long Term Control Plan (LTCP). The proposed work consists of stormwater improvements along Laveille Street, Caroline Street, Mary Street, Glendale Avenue, and Monroe Street to capture stormwater runoff, which will then reduce combined sewer overflow events. These improvements, also known as Green Infrastructure, consist of concrete pavers, curb and gutter, sidewalk, driveways, aggregate for the infiltration trenches and appurtenances.	0.00	0.00	5,415,507.50	1,494,322.64	28.00	1/28/2023
CWSRF	Galesburg S.D.	The Galesburg Sanitary District will construct a new biosolids dewatering building housing two sludge dewatering screw presses, a dewatering pump building and a new dry sludge storage building along with all associated appurtenances.	0.00	0.00	6,681,505.00	5,069,613.24	76.00	4/1/2023
DWSRF	Galena	The City of Galena will install approximately 20 linear feet (LF) of 4-inch, 950 LF of 6-inch, 500 LF of 8-inch and 2,600 LF of 10-inch polyvinyl chloride (PVC) water main. This project also includes replacement of water service lines, valves, fire hydrants and all necessary site restoration.	1,579,136.71	803,809.96	775,326.75	118,897.57	15.00	7/31/2021
DWSRF	Forreston	The Village of Forreston will replace approximately 6,255 feet of watermain with 4, 6, 8 and 10-inch polyvinyl chloride (PVC) watermain. This project also consists of replaceing valves, water service connections, and fire hydrants; and providing traffic control, and construction site restoration.	1,541,592.14	979,678.97	561,913.17	360,728.98	64.00	7/2/2021
DWSRF	Mound Public Water District	Construction of approximately 14,336 linear feet of 4-inch diameter and 2,073 linear feet of 6-inch diameter water mains. This project also includes replacement of the existing softener with a new same size softener, face piping, all plant piping downstream from the high service pumps, a new brine line and all related appurtenances and restoration to make the project complete and operational.	1,287,350.28	991,272.42	296,077.86	46,329.54	16.00	4/30/2021
DWSRF	Galatia	The project includes the installation of approximately 4,600 feet of 6-inch diameter watermain, approximately 9,200 feet of 12-inch diameter watermain, interior & exterior rehabilitation of water storage tank #1, backup generator for the duplex pump station pumps and other miscellaneous appurtenances.	0.00	0.00	1,366,225.84	601,003.79	44.00	10/30/2022
DWSRF	Clayton-Camp Point Water Commission	The project consists of the installation of 5,300 feet of 8-inch and 8,500 feet of 12-inch water main to provide looping and Well #10 will be connected to the water system. At the west water treatment plant, three new high service pumps will be installed, and a booster pump station will be constructed. Additional construction will include a 5,000 gallon wet well, a gas chlorination system, fluoride feed system, phosphate feed system, and piping, valves, controls and all the necessary appurtances.	4,471,352.42	4,043,117.35	428,235.07	33,802.20	8.00	6/3/2022
DWSRF	Marion	The proposed project includes: construction of 6,350 linear feet of 6-inch diameter water main and tank control valve and vault, replacement of a high service pump and high service pump building, installation of variable frequency controls, a new SCADA system and a back up emergency generator. This project will also include all related appurtenances and restoration to make the project complete and operational.	889,863.25	722,703.85	167,159.40	29,823.50	18.00	6/30/2021
DWSRF	Marion	Repair, repainting, and containment of the 500,000-gallon elevated water storage tank located at the water treatment plant on North Madison Street and all related appurtenances.	601,410.00	411,086.93	190,323.07	67,100.00	35.00	5/15/2021

_			Total Obligated	Total Disbursed	Obligation Balance	•	% Disbursed of 12/15/2020	
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series	Balance	Contruction Completion Date
DWSRF	Brimfield	The project includes the construction of a 31,000-gallon ground storage tank, installation of approximately 4,025 lineal feet (LF) of 6-inch diameter watermain, 35 LF of 4-inch diameter watermain and other appurtenances.	0.00	0.00	854,915.14	468,773.63	55.00	9/20/2022
DWSRF	Palmer	Install approximately 276 linear feet of 6-inch diameter and 6 linear feet of 4-inch diameter water main. At the water treatment plant install two 28 gallon per minute horizontal pressure filters with piping and controls. The project will also include installation of a sodium hypochlorite feed system with two chemical feed pumps and a fluoridation system consisting of a chemical feed pump, scales, piping, controls and	828,279.88	561,660.63	266,619.25	97,561.31	37.00	4/30/2021
		appurtenances. In addition, the project will include rehabilitation of the elevated water tower which will include safety upgrades for safe access for maintenance purposes and cleaning, prep, and painting the interior and exterior of the water tower to include the logo.						
DWSRF	Equality	The project consists of the installation of 465 water meters, meter reading system, and other related appurtenances.	0.00	0.00	274,513.10	208,064.11	76.00	2/25/2022
DWSRF	Frankfort	This project will include removal and replacement of approximately 200 lead service lines (LSLs) throughout the Village of Frankfort. The project will also include all related appurtenances and restoration to make the project complete and operational.	0.00	0.00	1,840,535.00	24,870.00	1.00	10/31/2022
DWSRF	Morrison	The City's water distribution mains are aging, undersized, and in need of looping to improve the water quality and reduce significant water loss. The distribution system has a number of dead-end mains which require frequent hydrant flushing in order to maintain an adequate residual chlorine concentration in the potable water. Corrective activities covered under this loan include the replacement/installation of 3,760 lineal feet of 6-inch to 12-inch diameter main at various locations throughout the City.		0.00	1,175,111.69	961,151.47	82.00	7/31/2022
DWSRF	Chester	The City of Chester will replace the roof of the existing treatment plant building with solid metal panels; replace the existing lime feed system with a high-density lime silo complete with a batch storage tank, transfer pump, day tank and two lime feed pumps; construct a new building to house a new day tank, pumping equipment, electrical, piping and an elevated enclosed walkway to connect the new building to the existing treatment plant building. The City will rehab the 1.42- and 0.50-million-gallon ground storage tanks; repaint and repair the recarbonation tank and head tank with piping, controls and necessary appurtenances.		0.00	2,500,000.00	252,000.00	10.00	10/3/2023
DWSRF	Cobden	The project consists of the installation of 60 l.f. of 6-inch diameter water main, the Bell Hill standpipe will receive a new cathodic protection system and other safety features, the ground storage tank will receive a new overflow with piping and appurtenances, and the water treatment plant will receive a new cathodic protection system along with overflow modifications and additional safety features. There will also be a backup emergency generator installed with controls and appurtenances.	0.00	0.00	638,525.73	55,993.98	9.00	7/1/2023
DWSRF	Wheeling	The project consists of the replacement of 105 lead service lines within the Village.	2,000,000.00	285,502.47	1,714,497.53	360,944.82	21.00	7/30/2021
DWSRF	LaSalle	The project consists of a new well with a pump rated at 1,500 gpm @ 180 ft TDH, improvements to the 9th Street booster pump station which include two new pumps each rated at 1,200 gpm @ 129 ft TDH, along with all the necessary appurtenances to make this project operational.	0.00	0.00	1,063,338.11	270,758.18	25.00	4/30/2023
DWSRF	LaSalle	The project consists of the rehabilitation of the Civic Road elevated water storage tank. The work will include the removal of the exterior paint and repainting the exterior with a new coating system. The work also includes the installation of a sample tap on the fill/draw pipe, replacing the gaskets on the wet interior roof hatch, and all the necessary appurtenances to make the project complete and operational.		0.00	890,819.32	,	1.00	
DWSRF	Cerro Gordo	The Village will replace 6,500 linear feet of cast iron watermains with polyvinyl chloride (PVC) C-900 watermains and replace 20 fire hydrants and valves.	0.00	0.00	709,703.85	369,032.23	52.00	7/31/2022

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
DWSRF	DePue	Proceeds from this loan will fund two distinct projects. Approximately 700 drinking water meters will be replaced. The proposed system will be automatically read, which will eliminate the need for operators to visit each meter monthly. This work will not require a construction permit.  A brand-new 75,000-gallon drinking water tower with modern safety features will be built. Associated site piping will include approximately 95 feet of 6-inch and 10 feet of	0.00	0.00	1,322,203.08	592,120.64	45.00	1/4/2023
DWSRF	Shannon	Drill and complete Well #5, construction of a Wellhouse for Well #4 and Well #5, construct 4,539 linear feet of 8-inch diameter water main and 345 linear feet of 6-inch diameter water main, construct 3 vertical pressure filters along with a fluoride, chlorine, phosphate feed system, and HMO filtration system to reduce radium levels, construct sewer connection of approximately 355 linear feet of 8-inch diameter PVC piping for backwash from the water treatment plant to the Village of Shannon Sewer Treatment Plant.	4,500,000.00	4,500,000.00	0.00	220,464.18	0.00	8/31/2021
DWSRF	Carrollton	The overall project consists of two phases to improve the City's water system. This loan covers Phase I and entails the demolition of an existing 100,000-gallon elevated water storage tank and replacing it with a 250,000-gallon elevated tank and related appurtenances.	0.00	0.00	2,180,850.00	429,415.97	20.00	12/31/2022
DWSRF	Mansfield	Replace 8,260 linear feet of 4, 6, and 8-inch cast iron watermains with PVC watermains,	991,459.53	0.00	991,459.53	595,243.28	60.00	9/30/2021
DWSRF	Murdale Water District	and appurtenances.  The project entails the removal and replacement of approximately 1,450 lineal feet of watermain under a floodplain; the installation of two SCADA control systems; hydrant replacements; the addition of a generator at the Hickory Ridge Pump Station; and the installation of 3,000 lineal feet of watermain on Maple Springs Road to serve new customers.	803,535.99	460,809.02	342,726.97	40,339.30	12.00	7/12/2021
DWSRF	Norris City	Proceeds from this loan will be used to fund improvements to the public water supply system. These items include replacement of approximately 12,500 feet of undersized watermain with new 6-inch diameter PVC watermain. Additionally, valves, hydrants, and other appurtenances associated with these watermains will also be replaced.	0.00	0.00	887,914.01	471,383.93	53.00	8/17/2022
DWSRF	Shabbona	The Village will construct a new water treatment plant (well house #6) and improve the water distribution system. Well house #6 will be constructed with a 300 gallon per minute pump, horizontal pressure filter, chemical feed system and emergency generator. The Village will install approximately 6 feet of 4-inch water main and 2,943 feet of 8-inch water main within the distribution system.	0.00	0.00	1,667,640.00	1,012,151.85	61.00	12/8/2022
DWSRF	Assumption	The project consists of the replacement of approximately 60 lead service lines within the	439,088.50	15,937.34	423,151.16	29,541.87	7.00	12/9/2022
DWSRF	Assumption	The project consists of the installation of an anion exchange system for nitrate removal; install a phosphate chemical feed system with chemical feed pump; replace all active water meters city-wide (approximately 614 meters); and replace approximately 1,500 feet of undersized water main. This includes all the necessary appurtenances needed to make the project complete and operational.	877,249.03	83,481.26	793,767.77	90,915.63	11.00	12/19/2022
DWSRF	East Dubuque	The project consists of the construction of a 200,000-gallon elevated water storage tank with all related equipment and appurtenances; installation of a booster pump station; five new pressure reducing valve stations; and the replacement of approximately 3,185 lineal feet of watermain.	0.00	0.00	3,000,000.00	181,726.26	6.00	5/20/2023
DWSRF	Apple River	The Village of Apple River, Municipal Well #1 has deteriorated. It is no longer capable of producing it's permitted capacity. This project proposes to rehabilitate the Well #1 bore hole and install a new 140 gallon per minute pump. The well house at Well #1 is at the end of its serviceable life. A new well house, in conjunction with chemical feed equipment and electrical upgrades will be built. A new stand-by generator will be purchased. Approximately, eight hundred feet of undersized, breakage prone water main along Maple Street will be replaced with 6-inch pipe. This project will include the installation of a Supervisory Control and Data Acquisition (SCADA) system to automatically control the Village pumping system.	0.00	0.00	1,275,348.72	133,032.51	10.00	10/31/2022

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
DWSRF	Bensenville	Funds will be utilized to replace the existing White Pines Area water distribution system.	6.489.349.29	0.00	6.489.349.29	209,836.98	3.00	5/20/2022
DWSKI	Deliserville	The project consists of the construction of approximately 16,983 feet of 8-inch diameter	0,403,543.23	0.00	0,403,343.23	209,030.90	3.00	3/20/2022
		and 795 feet of 6-inch diameter water main, valves, valve vaults, fire hydrants, water						
		services, abandonment of existing water mains, and construction area restoration.						
DWSRF	Mount Olive	The installation of a chemical feed building with ammonium sulfate feed pumps; 30-	0.00	0.00	2,686,292.06	966,569.04	36.00	8/27/2022
D.V.O.K.	Would Silve	gallon storage tank; scale and all related piping; sodium hypochlorite feed pumps; 55-	0.00	0.00	2,000,202.00	000,000.01	00.00	0/21/2022
		gallon storage tank; scale and related piping; installation of a back-up natural gas						
		generator; installation of a master meter in a vault; installation of 30 linear feet of 4-inch						
		diameter water main; 30 linear feet of 8-inch diameter water main; 42,000 linear feet of						
		12-inch diameter water main; approximately 1,086 water meters; water meter radio read						
		system and all related appurtenances and restoration to make project complete and						
		operational.						
DWSRF	Stonington	Installation of two pressure filters; an ion exchange unit; a new SCADA system; a	1,356,782.35	339,459.87	1,017,322.48	385,766.92	38.00	12/26/2022
		hydrofluosilicic acid feed system and approximately 110 linear feet of 8-inch diameter						
		yard piping at the water treatment plant. This project will also include approximately						
		1,740 linear feet of 6-inch diameter water main along Maple and Main Streets and all						
		related appurtenances and restoration.						
DWSRF	Lockport	Construct a 1,000 gallon per minute (gpm) ion exchange water treatment plant which	3,967,300.00	2,081,634.33	1,885,665.67	708,614.97	38.00	7/30/2021
		includes installation of: three 412.5 gpm ion-exchange vessels, brine regeneration						
		system, gas chlorination system with two chlorinators, scale, venting system, scrubber,						
		piping and controls. Install approximately 757 linear feet of 12-inch diameter water						
		main, 72 linear feet of 8-inch diameter water main, and 80 linear feet of 6-inch diameter						
		water main. Project also includes a standby diesel generator and all related						
DWSRF	Liberty-Ledford Water District	This loan covers the installation of approximately 480 lineal feet (LF) of 4-inch and	1,019,244.50	204,684.80	814,559.70	54,368.11	7.00	8/5/2021
		21,000 LF of 8-inch diameter watermains, 450 water meters, and other appurtenances.						
DWSRF	Wonder Lake	This project includes the replacement of approximately 1,570 water meters and	1,029,684.20	887,850.60	141,833.60	175,409.83	100.00	8/26/2021
		miscellaneous appurtenances.						
DWSRF	Oak Lawn	Installation of approximately 26,364 linear feet of 60-inch diameter water main; 102	62,928,469.68	21,611,349.45	41,317,120.23	4,447,562.29	11.00	6/30/2023
		linear feet of 30-inch diameter water main; 234 linear feet of 24-inch diameter water						
		main; 112 linear feet of 16-inch diameter water main and 2,602 linear feet of 10-inch						
DIMODE	B	diameter water main.	2.22	0.00	0.00	0.700.407.00	0.00	7/04/0000
DWSRF	Pecatonica	Funds from this loan will be used for improvements to the Pecatonica drinking water	0.00	0.00	0.00	2,788,427.32	0.00	7/31/2023
		generation, transmission and storage systems. Work will occur under three unique						
		contracts. Contract one will install a new drinking water well and well house. The						
		second contract will replace aging and undersized water mains, in addition to system						
		looping. Work will include the installation of approximately 11,673 feet of 8-inch, and 10,116 feet of 12-inch water mains. The interior and exterior of the 500,000 gallon						
		elevated water storage tank will be rehabilitated under contract three.						
DWSRF	Bloomington	The installation of approximately 3,341 linear feet of 8-inch diameter water main and	0.00	0.00	1,733,599.50	864,833.48	50.00	8/31/2022
DWSKI	Biodrinigion	124 linear feet of 6-inch diameter water main. Related appurtenances and restoration	0.00	0.00	1,733,399.30	004,033.40	30.00	0/31/2022
		will also be part of this project.						
DWSRF	Evanston	Construction of a new 5 million gallon clearwell complete with hatches, vents, piping,	20,556,256.00	17,091,000.74	3,465,255.26	1,630,907.76	47.00	5/20/2021
DWSKI	LVansion	baffle walls, controls, underdrain and perimeter drain system with a pump station that	20,330,230.00	17,031,000.74	3,403,233.20	1,030,307.70	47.00	3/20/2021
		has 2 pumps each rated at 120 gpm @32 ft. TDH. Installation of a high service pump						
		rated at 7,250 gpm @ 150 ft. TDH. Project also includes restoration and all related						
		appurtenances to make project complete and operational.						
DWSRF	Pontoon Beach Water District	Install approximately 56 feet of 6-inch and 14,181 feet of 8-inch diameter water mains.	1,223,319.96	585,153.92	638,166.04	124,524.64	20.00	8/4/2021
DWSRF	Mitchellville Water District	Proceeds from this loan will be used to fund water system improvements in the Ingram	0.00	0.00	465.433.75		84.00	6/4/2022
	Tatal District	Hills Road area within the Districts current service area that will resolve pressure and	3.00	0.00	100, 100.70	330,020.07	01.00	3, 1,2022
		supply issues. The work includes approximately 100 lineal feet (LF) of 4-inch; 6,500 LF						
		of 8-inch; 80 LF of 12-inch water main and related appurtenances.						
DWSRF	Broughton	The Village of Broughton will replace approximately 32,000 linear feet of water main	108,054.34	92,519.68	15,534.66	7,367.26	47.00	7/8/2021
	3	with polyvinyl chloride (PVC) pipe; and install new valves, fire hydrants, water service	1 20,0001	,5.0.00	. 3,30 1.00	.,557.20		.,3,2021
		lines and appurtenances.						

D	Produitous	Partiest Description	Total Obligated	Total Disbursed	Obligation Balance		% Disbursed of 12/15/2020	Outputies Outputies Date
Program	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series		Contruction Completion Date
DWSRF	Franklin Park	The loan will fund the installation of approximately 46 lineal feet of 6-inch diameter watermain, approximately 1,822 lineal feet of 8-inch diameter ductile iron watermain, valves, fire hydrants, service reconnections, surface restoration and other appurtenances.	618,934.98	494,519.40	124,415.58	17,033.50	14.00	3/30/2021
DWSRF	Rock Island	This loan will fund work associated the construction of a new drinking water filtration facility which will house eight new dual-media filters with a capacity of 12 million gallons per day. The new system will be connected to the existing pre-and post-filtration processes. The new facility will meet or exceed current regulatory standards and is designed to accommodate future changes to the treatment processes in response to future changes in regulations or raw water quality.	22,198,433.77	22,198,433.77	0.00	749,512.28	0.00	10/5/2020
DWSRF	Crete	The project entails improvements at the Village's five drinking water wells. This work includes the installation of iron removal treatment consisting of reaction basins; pressure filters; piping; controls; and miscellaneous necessary appurtenances.	5,000,000.00	3,487,491.25	1,512,508.75	284,620.00	19.00	5/31/2023
DWSRF	Chicago	The project consists of replacing the obsolete electrical switchgear and existing temporary standby generators at the Jardine Water Purification Plant.	40,431,567.00	33,239,570.81	7,191,996.19	378,417.04	5.00	12/26/2021
DWSRF	Chicago	The project entails the conversion of the Central Park Pumping Station from steam driven to electrical operation. Details of the project include the demolition of five steam turbines and replacement with electric induction motors, factor refurbishment of five existing centrifugal pumps, installation of a new hydraulic valve operating system, new pump vacuum priming system, and new pump lube oil system to support operation of the pumps, the demolition of five existing boilers, refurbishment of the boiler room for installation of four new standby diesel generators, the installation of five new variable speed drives and medium voltage switchgear in a new 5,900 square foot building, the installation of new ComEd transformers and switchgear in a new 5,500 square foot building, renovation of facility HVAC and electrical systems, installation of a new SCADA system, demolition of existing fuel storage tanks and installation of new double walled oil storage tanks, installation of a photovoltaic power system, and various other associated appurtenances.		30,159,419.75	23,496,580.25	1,210,336.95	5.00	11/21/2022
DWSRF	Joliet	This loan will fund year five, of the five-year drinking water distribution system rehabilitation program. The program rehabilitates approximately 1% of the system each year. The 2021 work on the drinking water distribution systems in the Florence Park, Reedwood, Garnsey Park & Forest Park neighborhoods, consists of replacing water main. The scope of work includes approximately 30,800 Lineal Feet (LF) of water main replacement of various sizes and other water main related items including roadway and parkway restoration.		0.00	8,122,683.87	2,928,703.93	36.00	1/31/2022
DWSRF	Wonder Lake	The project consists of improvements to the east side water system consisting of a new water treatment plant (WTP), 500,000-gallon ground storage tank, pump station with 3 pumps, chemical feed equipment, standby generator, and approximately 6,100 feet of 12-inch diameter transmission water main and other appurtenances. The new WTP will include iron removal equipment, high service pumps, hydropneumatic tank, piping, controls, electrical, HVAC, treatment building, backwash tank, chemical feed systems, chlorination, emergency generator, fire pump, and other appurtenances.		5,827,000.00	0.00	299,729.15	0.00	11/30/2020
DWSRF	Western Springs	The project entails upgrades/improvements to the Village's drinking water system, the installation of pumping equipment for Water Supply Well #5 and the construction of an electrical building for Well #5 with related appurtenances.	1,011,120.67	595,301.53	415,819.14	415,819.14	100.00	6/15/2021
DWSRF	New Lenox	Construction of approximately 6,901 linear feet of 12-inch diameter water main, 463 linear feet of 8-inch diameter water main, 295 linear feet of 6-inch diameter water main, and 70 linear feet of 4-inch diameter water main and all related appurtenances to make project complete and operational.		2,211,049.98	2,214,817.19	ŕ	22.00	9/30/2021
DWSRF	Albany	Proceeds from this loan will be used to drill, develop and connect Well #4 to the Village of Albany Public Water Supply system.	3,169,833.60	2,552,882.99	616,950.61	98,299.34	16.00	8/23/2021

Drogram	Recipient	Project Description	Total Obligated	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	
Program	•	·						
DWSRF	Morton Grove-Niles Water Commission	This loan will fund the construction of approximately 48,000 linear feet of new water	83,000,000.00	80,493,680.67	2,506,319.33	1,180,895.26	47.00	7/31/2023
		transmission main (16-30 inch diameter); two pump stations; one 7-million gallon						
		standpipe; and the rehabilitation of approximately 14,000 feet of 20-inch water main.						
		The work will allow the City of Evanston to supply the Villages of Morton Grove and Niles with drinking water.						
DWSRF	Crestwood	The project entails the replacement of approximately 18,700 lineal feet of cast iron	0.00	0.00	0.00	227 000 00	0.00	4/28/2023
DWSKF	Crestwood	water main with 6-inch to 10-inch diameter PVC main in the Playfield Subdivision Phase		0.00	0.00	337,000.00	0.00	4/28/2023
		2. Additionally, approximately 47 hydrants and valves will be replaced.						
DWSRF	Western Springs	The project consists of the installation of approximately 1,600 lineal feet of 8-inch	460,744.92	390,065.22	70,679.70	67,369.83	95.00	6/16/2021
DWSKF	Western Springs	diameter water main from Clausen Avenue – Hillgrove Avenue to 41st Street.	400,744.92	390,003.22	70,679.70	67,309.63	95.00	6/16/2021
DWSRF	Western Springs	The project consists of the installation of 1,584 lineal feet of 4-inch to 8-inch diameter	0.00	0.00	519,555.10	386,332.35	74.00	6/30/2022
DWSKF	Western Springs	water main in the Rose Avenue/Grove Avenue corridor to reduce main breaks and	0.00	0.00	519,555.10	300,332.33	74.00	6/30/2022
		hydraulic restrictions in the distribution system.						
DWSRF	Western Springs	The project consists of the rehabilitation and repainting of the Village's 1,000,000-gallon	0.00	0.00	963,897.00	347,952.46	36.00	6/30/2022
DWSKF	Western Springs	elevated water storage tank.	0.00	0.00	963,697.00	347,932.46	36.00	6/30/2022
DWSRF	Harrisburg	The project consists of the installation of approximately 18,960 lineal feet of 6-inch	2,514,577.49	1,034,626.20	1,479,951.29	474,737.85	32.00	10/7/2021
DWSKI	Tiamsburg	diameter watermain, approximately 7,180 lineal feet of 8-inch diameter watermain,	2,514,577.49	1,034,020.20	1,479,931.29	474,737.03	32.00	10/1/2021
		approximately 4,320 lineal feet of 12-inch diameter watermain, and other miscellaneous						
		appurtenances.						
DWSRF	Fox Lake	The Village of Fox Lake owns and operates two separate drinking water and	3,903,957.05	3,642,367.78	261,589.27	408,637.93	100.00	11/8/2020
DWOKI	I OX Lake	wastewater systems. The Village has developed a design to connect the systems and	3,303,337.03	3,042,307.70	201,303.27	400,037.93	100.00	11/6/2020
		create one wastewater system and one drinking water system. The drinking water						
		interconnect will allow the surplus supply in the South to support the North.						
		Interconnection of the two sewer systems will create a centralized wastewater collection						
		and treatment system at the existing Northwest Regional Water Reclamation Facility						
		and allow retirement of the Tall Oaks Wastewater Treatment Plant (WWTP), which has						
		reached the end of its serviceable life. The project will have two phases and each						
		phase will have both a drinking and wastewater component.						
		The Public Water Supply Loan Program (PWSLP) portion of Phase 1, L175581, will						
		include construction of roughly 6,570 LF of water main ranging in size from 6" to 20",						
		hydrants and valves from Grand Avenue in the South System to the proposed Bridge						
		Lift Station and connect to the North System. The water main will be constructed using						
		jack and bore methods, horizontal directional drilling and traditional trenching. This						
		work is covered by IEPA Permit Number 0105-FY2019.						
		The Water Pollution Control Loan Program (WPCLP) portion of Phase 1, L173974, will						
		include construction of roughly 200 Linear Feet (LF) of 24" gravity sewer, 730 LF of 8"						
1		gravity sewer, 2,460 LF of 16" force main and 3,100 LF of 12" force main. The sanitary						
		sewer and force main will be constructed using jack and bore methods, horizontal						
		directional drilling and traditional trenching. The WPCLP portion will also include						
1		construction of a new Bridge Lift Station and upgrades to the existing Main Lift Station.						
1		The new Bridge Lift Station will be constructed on the north end of the channel crossing						
		and will receive all wastewater from the North System. This work is covered by IEPA						
		Permit Numbers 2018 HB 63582, 2018 HB 63881, 2018 HB 63886, 2018 IA 63636 and						
		2019 IB 63543.						

<b>D</b>	Destricted	Product Description	Total Obligated	Total Disbursed	Obligation Balance		% Disbursed of 12/15/2020	Outputies Outputies Date
Program	Recipient	Project Description		as of 12/15/2020	as of 12/15/2020	from 2020 Series		Contruction Completion Date
DWSRF	Fox Lake	The Village of Fox Lake owns and operates two separate drinking water and wastewater systems. The Village has developed a design to connect the systems and create one wastewater system and one drinking water system. The drinking water interconnect will allow the surplus supply in the South to support the North. The project has two phases and each phase has both a drinking and wastewater component. Phase 1 is complete.	0.00	0.00	4,478,059.95	2,326,257.28	52.00	4/17/2022
		This loan will fund the Public Water Supply Loan Program (PWSLP) portion of Phase 2, L175582, which will include construction of roughly 11,283 LF of water main ranging in size from 8 inch to 16 inch, hydrants and valves from Bridge Lift Station to the North Water Tower, which is located at the Tall Oaks Wastewater Treatment Plant site.						
DWSRF	Merrionette Park	The project consists of the replacement of 2,455 ft of 8-inch water mains, 70 ft of 6-inch water mains, and all the necessary related appurtenances required to complete the project.	0.00	0.00	983,161.63	866,855.28	88.00	6/30/2021
DWSRF	Summit	The removal and replacement of approximately 2,539 existing residential and commercial drinking water meters throughout the Village of Summit drinking water service area.	1,183,516.35	0.00	1,183,516.35	742,543.00	63.00	8/31/2021
DWSRF	Mount Vernon	This project will include the installation of approximately 2,060 linear feet of 14-inch diameter water main; 8,290 linear feet of 10-inch diameter water main; 2,140 linear feet of 8-inch diameter water main; 11,840 linear feet of 6-inch diameter water main; approximately 270 linear feet of 4-inch diameter water main and all related restoration and appurtenances to make the project complete and operational.	0.00	0.00	2,676,773.72	431,517.06	16.00	2/7/2022
DWSRF	Genoa	The project consists of improvements to water supply well No. 4, and water main replacements and extension. The well No. 4 improvements include: installing 950 gpm submersible pumping equipment; flow meter; valves and fittings; testing; and installing an emergency electrical generator. The water main replacement and extension includes: construction of approximately 605 feet of 6-inch, 2,600 feet of 8-inch, and 150 feet of 10-inch diameter water main; valves, vaults and fittings; 20 water service replacements; replacement of sanitary and storm sewers: fire hydrants; and construction site restoration.	1,459,129.70	808,625.11	650,504.59	31,650.56	5.00	3/5/2021
DWSRF	St. Libory	Proceeds from this loan will fund the rehabilitation of the Village drinking water storage tank and ancillary systems. The elevated water tank is in disrepair and was last repainted in 1997. The center riser pipe is corroded and leaking. The telemetry system is 19 years old and unreliable.	611,857.00	27,466.60	584,390.40	382,049.20	65.00	10/22/2021
DWSRF	Harristown	Construct a 200,000-gallon elevated water storage tank with a chlorine feed system to replace the ground water storage tank. Install a chlorine feed system in the existing 100,000-gallon elevated storage tank and repaint that tank. Construct a booster pump station for the emergency interconnect with the Decatur water system.	2,129,000.00	214,278.27	1,914,721.73	532,326.87	28.00	8/31/2022
DWSRF	Sheffield	The project consists of replacing water meters throughout the Village and elevated water tower rehabilitation. The tower rehabilitation activities consist of the installation of OSHA compliant railing, a screened flap gate, roof hatches, roof vent, interior ladder, mud valve, and recoating of the interior and exterior of the tower.	491,551.68	249,716.03	241,835.65	120,187.77	50.00	6/30/2021
DWSRF	Durand	The project consists of the construction of a new public water supply well No. 4 with new well house, and associated test wells; and improvements to the existing well No. 3 and well house. The work will include: new well pumps; chemical feed systems; piping; valves; controls; approximately 1,400 feet of 8-inch diameter water main for well No. 4, SCADA control systems; and construction site restoration. The projects also will add sanitary sewer connections for both well houses, which includes: 15 feet of 4-inch and 484 feet of 8-inch diameter PVC sewer pipe, and four manholes for well No. 4; and 68 feet of 4-inch and 138 feet of 8-inch diameter PVC sewer pipe, and two manholes for well No. 3.	1,532,537.62	538,806.74	993,730.88	202,622.25	20.00	5/31/2023

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
DWSRF	Moweaqua	This project will include the replacement of 1,727 linear feet of 6-inch diameter water main along Hanover Street. The project will also include repainting the interior and exterior surfaces of the elevated water storage tank located on East Main Street. The ground storage tank (GST) located on North Main Street will also have repainting of the interior surface. Complete sandblasting and repainting of the exterior surface will also	0.00	0.00	912,805.78	411,445.59	45.00	6/15/2023
DWSRF	Oreana	be completed on the GST. Miscellaneous improvements to appurtenances on both water tanks will also be completed for dependability and safety concerns.  The project consists of the construction of a 150,000-gallon elevated water storage	0.00	0.00	1,578,642.85	778,276.42	49.00	9/2/2022
		tank. The Village's existing 50,000-gallon elevated water storage tank will be			,,	-, -		
DWSRF	Freeport	Replacement of approximately 258 lead service lines throughout the City of Freeport.	2,191,644.00	257,067.30	1,934,576.70	613,718.34	32.00	9/16/2022
DWSRF	Freeport	Project includes the installation of approximately 2,566 linear feet of 6-inch diameter water main; 2,591 linear feet of 8-inch diameter water main and 4,241 linear feet of 12-inch diameter water main. Project also includes drilling and developing Well #11 (24" x 1300'); installation of a well pump rated at 2200 gallons per minute @ 350 feet TDH and all related appurtenances and restoration to make the project complete and operational.	4,280,617.82	0.00	4,280,617.82	307,592.94	7.00	10/1/2023
DWSRF	Elizabeth	The project consists of watermain replacement along Catlin, Locust, and Madison Streets. Construction includes the installation of approximately 2,099 lineal feet (LF) of 8-inch diameter PVC watermain, approximately 118 LF of 6-inch diameter watermain, restoration, and other appurtenances.	0.00	0.00	1,197,957.52	451,407.75	38.00	12/1/2021
DWSRF	Quincy	This project includes the rehabilitation of the existing #1 through #6 filters located at the water treatment plant. This rehabilitation will include the replacement of the filter media; underdrains; wash water troughs; air scour system; piping and all related appurtenances and restoration to make the project complete and operational. There will also be additional changes to the potable water and process piping to allow for easier maintenance at the WTP.	0.00	0.00	4,400,000.00	3,031,364.59	69.00	6/19/2022
DWSRF	Franklin Park	The loan will fund the installation of approximately 40 lineal feet of 6-inch diameter watermain, approximately 5,330 lineal feet of 8-inch diameter watermain, valves, fire hydrants, service reconnections, surface restoration and other appurtenances.	1,470,644.30	756,865.98	713,778.32	272,988.01	38.00	1/6/2022
DWSRF	Dixon	The project includes the installation of approximately 171 LF of 8-inch diameter watermain, approximately 1,128 LF of 12-inch diameter watermain and related appurtenances.	0.00	0.00	1,140,671.40	230,250.00	20.00	12/15/2021
DWSRF	Shelbyville	This loan entails the replacement of all existing water meters throughout the City of Shelbyville with a new radio telemetry system.	0.00	0.00	1,024,650.31	675,566.56	66.00	3/10/2023
DWSRF	Mechanicsburg-Buffalo Water Commission	Funds for this loan will be used to purchase approximately 9,759 lineal feet of 6-inch water main, that will be used to provide a safe and reliable source of drinking water for residence of the Griffith's Creek Estates subdivision. Present Commission staff and equipment will be used for installation. The loan is for materials only.	0.00	0.00	0.00	53,965.84	0.00	6/1/2021
DWSRF	Mulberry Grove	The Village of Mulberry Grove will improve the water distribution system. These improvements include replacing approximately 12,551 linear feet (LF) of 6-inch water main and 3,559 LF of 4-inch water main; replacing 12 and adding 9 fire hydrants; adding valves and replacing 320 residential and 8 non-residential water meters.	0.00	0.00	0.00	565,653.79	0.00	1/7/2022
DWSRF	Murdale Water District	The project entails the relocation of a 6-inch diameter watermain on the grounds of the Southern Illinois Airport. The existing road which allows access to the existing watermain for maintenance has been relocated, leaving the pipeline running in the middle of an agricultural field. Should the main break during planting season, the District would have to remove crops to repair breaks. The existing watermain will be cut and capped, and the new line consisting of approximately 6,100 lineal feet of 10-inch diameter PVC watermain will now run along Airport Road and extend further into Airport property.			407,400.00	182,962.24	45.00	5/10/2022
DWSRF	Leyden Township	The project consists of the installation of approximately 10,620 feet of 6-inch water main along with all the necessary appurtenances.	0.00	0.00	1,815,000.00	1,250,879.00	69.00	11/30/2021
DWSRF	Germantown	The Village will be replacing approximately 200 feet of 4-inch and 7,500 feet of 6-inch water mains. This project will be replacing asbestos cement and cast iron water pipes with polyvinyl chloride (PVC) pipes.	931,364.10	0.00	931,364.10	499,086.76	54.00	9/20/2021

<b>D</b>	Posteriore	Project Programme	Total Obligated	Total Disbursed	Obligation Balance	•	% Disbursed of 12/15/2020	Outstanding Outstand Date
Program DWSRF	Recipient	Project Description	as of 12/15/2020		as of 12/15/2020	from 2020 Series		Contruction Completion Date
DWSRF	Oregon	This loan will fund Phase 3 of a system wide water main replacement and looping program. Proceeds from this loan will fund the installation of approximately 3,609 feet of 4-inch, 6-inch, 8-inch, and 12-inch water mains. Site restoration activities in addition to 9 hydrants and 19 gate valves are also included.	1,288,539.67	519,430.26	769,109.41	394,091.87	51.00	7/31/2021
DWSRF	Galesburg	The project consists of the replacement of approximately 500 lead water service lines within the City of Galesburg. This is the 4th and final phase of the approved project	2,000,000.00	403,259.87	1,596,740.13	538,298.27	34.00	5/31/2021
DWSRF	Georgetown	The project consists of the installation of approximately 5,800 lineal feet of 8-inch to 6-inch diameter water main in order to correct undersized mains and dead-ends which have created pressure issues that lead to numerous water main breaks and wasting of treated water for repeating flushing.	0.00	0.00	1,875,295.82	1,177,463.46	63.00	9/7/2022
DWSRF	Rockford	The project consists of the replacement of 480 lead service lines with the community.	2,000,000.00	0.00	2,000,000.00	600,759.01	30.00	9/1/2021
DWSRF	New Haven	The project consists of the repainting of an elevated storage tank, the installation of an electrical cathodic protection system, and safety ladder devices on the tank. The Village will also be replacing approximately 200 meters and any appurtenances deemed necessary for the project.	0.00	0.00	719,030.24	478,483.61	67.00	4/15/2022
DWSRF	St. Francisville	This project will include the drilling, developing and connection of the new Well #11 (IEPA # 02121) (20"x63') to the St. Francisville Distribution System. A new pump, rated at 300 gpm @ 253 feet TDH will also be installed. The project will also include the installation of approximately 50 linear feet of 8-inch raw water main and all related appurtenances and restoration to make the project complete and operational.	0.00	0.00	350,000.00	319,725.00	91.00	4/4/2022
DWSRF	Rural Wabash County Water District	The project consists of installing water mixers in the two standpipes and replacing the SCADA system at the drinking water treatment plant.	0.00	0.00	161,005.00	100,416.00	62.00	4/4/2022
DWSRF	Metropolis	Funds will be used to rehabilitate four declining rate filters at the Water Treatment Plant. Work will include replacement of existing media; sandblasting; cleaning and recoating filters; replacing filter backwash nozzles; replacing all filter backwash valves; installation of electric actuators on the new valves and repairs to the backwash plate in the filters. The filter control panel and SCADA systems will also be replaced.	0.00	0.00	1,072,782.44	345,188.12	32.00	12/15/2022
DWSRF	Auburn	This loan will fund Phase 1 of a two-phase water system update. Phase one of the project includes the installation of approximately 4,930 lineal feet of ten (10) inch diameter; 1,573 lineal feet of eight (8) inch diameter; 8,264 lineal feet of six (6) inch diameter; 65 lineal feet of four (4) inch diameter; and 105 lineal feet of three (3) inch diameter water main. Automated water level controls will be installed on the storage tank. New automatic read water meters will also be installed.	3,096,191.17	935,892.54	2,160,298.63	839,845.75	39.00	8/28/2021
DWSRF	Auburn	This loan will fund Phase 2 of a two-phase water system update for the City of Auburn. Work will include the replacement of approximately 5,000 lineal feet of failing cast iron water mains with new PVC mains. A secondary back-up water source connection to the supply from the Otter Lake Water Commission will be added. The water system controls will also be upgraded.	0.00	0.00	1,832,013.39	697,975.30	38.00	1/1/2023
DWSRF	Hardin County Water District No. 1	Installation of approximately 2,000 linear feet of 4-inch diameter water main; 10,200 linear feet of 6-inch diameter water main; hydrants, valves and restoration to make project complete and operational (Phase 1)	316,026.08	125,268.98	190,757.10	32,897.22	17.00	10/31/2021
DWSRF	Batavia	The project entails the upgrading and rehabilitation of the City's water treatment plants. Specific activities include the following: the rehabilitation of the pumping equipment at Wells Nos. 9, 10, and 11; the rehabilitation of six high service pumps; rehabilitation of filters at WTP 1; replacement of a backwash holding tank for WTP 1; expansion of a brine generator/storage room at WTP 2 for new brine tanks; the replacement of sodium hypochlorite feed pumps; and various building modifications.	0.00	0.00	4,425,000.00	487,033.22	11.00	6/2/2023
DWSRF	Sandoval	The proposed project includes the demolition of the existing 50,000-gallon elevated water storage tank near West Bar Avenue and the construction of a new 150,000-gallon elevated water storage tank at the same location. In addition, a new motorized valve vault and cellular based telemetry system to control tank levels will be installed near the intersection of County Road 900 North and South Main Street. Furthermore, a new pressure sustaining valve in a concrete vault to allow limited flow through the secondary feed into Sandoval will be installed near the intersection of South Semi Street and South Mine Street.		0.00	956,752.00	375,615.30	39.00	11/15/2022

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed as of 12/15/2020	Obligation Balance as of 12/15/2020	\$ Disbursed from 2020 Series	% Disbursed of 12/15/2020 Balance	Contruction Completion Date
DWSRF	Springfield	With receipt of this loan, the City of Springfield will be replacing approximately 150 lead service lines within the City. This project may help to alleviate some lead exposure in the community. This is phase one of a multi-phased project.	888,255.50	0.00	888,255.50	87,083.28	10.00	11/14/2021
DWSRF	Sesser	The project consists of two contracts. Contract A includes the installation of approximately 740 LF of 6-inch diameter watermain, approximately 1,780 LF of 8-inch diameter watermain, and appurtenances. Contract B includes sandblasting and recoating of the interior and exterior of the water tower and other appurtenances.	0.00	0.00	900,000.00	225,323.60	25.00	10/30/2022
DWSRF	Blue Mound	This project will include the installation of approximately 4,500 linear feet of 6-inch diameter water main and all related appurtenances and restoration to make the project complete and operational. This project is located along North Street, Goltra Street and Northern Illinois Route 48.	0.00	0.00	569,120.46	367,840.26	65.00	5/28/2022
DWSRF	Crossville	The project consists of the installation of approximately 3,850 L.F. of 6-inch diameter PVC watermain and appurtenances.	0.00	0.00	395,903.90	271,826.67	69.00	10/31/2021
DWSRF	Schram City	The project consists of the installation of approximately 8,540 LF of 6-inch diameter watermain and related appurtenances.	0.00	0.00	781,964.00	142,920.15	18.00	10/31/2022
DWSRF	Buncombe Water District	The project entails the rehabilitation of the District's 100,000-gallon elevated water storage tank; the installation of approximately 700 lineal feet of 8-inch diameter watermain and 120 lineal feet of 4-inch watermain; and the construction of three leak detection monitoring vaults with all associated appurtenances.	0.00	0.00	499,999.00	281,343.06	56.00	7/14/2022
DWSRF	South Chicago Heights	Upgrade the Supervisory Control and Data Acquisition (SCADA) system by replacing the Village's hardware and software controlling the water distribution system with Primex VPAC Controllers. The new system will have a broadband connection to Primex iControl Cloud Based SCADA System.	0.00	0.00	263,516.00	111,032.97	42.00	3/31/2022
DWSRF	Joliet	With receipt of this loan, the City of Joliet will begin replacing lead service lines within their community. Work will begin in the Downtown area and extend approximately two miles West of the Des Plaines River. This project will help alleviate some lead exposure in the community. Subsequent loans will fund lead service line replacement years two thru five.	937,773.52	0.00	937,773.52	20,350.26	2.00	2/1/2022
DWSRF	Joliet	Upon receipt of loan L175742, from the Public Water Supply Loan Program in July 2020, the City of Joliet began replacing lead service lines within their community. Funds from this loan will be used by the City of Joliet to continue replacing lead service lines within their community. Work associated with this loan, that will occur from North Raynor Avenue east to the Des Plaines River between West Jefferson Street and Interstate 80 is covered by the contract known as Phase 2a. The contract known as Phase 2b covers work from North Catherine Street East to North Raynor Avenue between West Black Road and West Glenwood Avenue. Finally, from Ohio Street South to East Clinton Street between the BNSF Railway and North Garnsey Avenue, work is known as Phase 2C. These projects will help alleviate some lead exposure in the community. This is the second year of the lead service line replacement program in Joliet. Subsequent loans will fund the lead service line replacement in years three	3,974,237.30	0.00	3,974,237.30	1,763,887.19	44.00	6/30/2022
DWSRF	Chrisman	The project consists of the construction of 28,775 l.f. of 8-inch water main and a master meter station. This will connect the City of Chrisman to the City of Paris, providing Chrisman with a new water source.	1,000,000.00	0.00	1,000,000.00	450,991.14	45.00	1/5/2022
DWSRF	Thompsonville	The project includes the replacement of 309 water meters, a new meter reading system, and other appurtenances.	0.00	0.00	205,909.30	145,650.62	71.00	1/30/2022
DWSRF	Beecher	The project consists of the replacement of approximately 370 lead service lines within the Village of Beecher.	0.00	0.00	2,953,538.50	590,739.87	20.00	11/30/2022
DWSRF	Taylor Springs	The project includes the installation of approximately 11,320 LF of 6-inch diameter watermain, approximately 2,200 LF of 8-inch diameter watermain, and other appurtenances.	0.00	0.00	1,006,841.70	611,173.60	61.00	9/28/2022
DWSRF	Forreston	This project consists of the replacement of approximately 446 lead service lines throughout the Village of Forreston's distribution system.	0.00	0.00	2,875,955.02	442,071.49	15.00	11/1/2022
DWSRF	Galatia	This project is the second phase of watermain replacement. Construction consists of the installation of approximately 100 feet of 6-inch diameter watermains, approximately 7,900 feet of 8-inch diameter watermains and miscellaneous appurtenances.	0.00	0.00	930,612.78	96,442.55	10.00	1/9/2023

#### Illinois SRF - Project Obligation Balances **2020 Series Only** Run Date: 12/31/2022

Program	Recipient	Project Description	Total Obligated as of 12/15/2020	Total Disbursed	Obligation Balance as of 12/15/2020		% Disbursed of 12/15/2020 Balance	Contruction Completion Date
	Onarga	The project consists of the installation of approximately 245 LF of 8-inch diameter watermain and appurtenances.	0.00	0.00	267,279.63	267,279.63	100.00	4/30/2022
DWSRF	Cissna Park	The project consists of the construction of 1,066 ft of new 6" watermains, hydrants, and water services. There will also be the abandonment of the existing 4" watermain as well as all necessary site improvements.	0.00	0.00	414,982.50	229,363.09	55.00	6/24/2022
DWSRF	Oregon	This loan will fund the installation of approximately 420 feet of 12-inch; 2,396 feet of 8-inch; and 63 feet of 6-inch diameter water main located at the intersection of 3rd and Illinois Streets in Oregon.	0.00	0.00	902,697.59	539,414.77	60.00	11/15/2021
DWSRF	Galena	The City of Galena will demolish the existing Industrial Park pump station; construct 3,600 linear feet of 10-inch polyvinyl chloride (PVC) water main; add 9 pressure reducing valve stations and abandon 5 existing pressure reducing stations; as well as install 17 individual property pressure reducing valves.	0.00	0.00	1,435,991.47	551,307.97	38.00	6/29/2022
DWSRF	Dawson	The project consists of the construction of a 400 gallons per minute (gpm) iron removal water treatment plant, the installation of three 133 pgm vertical pressure filters, each with 15 inches of support gravel, 24 inches of greensand, 12 inches of anthracite, along with piping, controls, and electrical. The project will also have a 400 gpm induced shaft aerator, two 12,000-gallon detention tanks, two transfer service pumps rated at 400 gpm @340 ft TDH, a gas chlorination system with two chlorinators, a venting system, and a chemical feed system with feed pump. Well #3 will get a new pump installed, rated at 150 gpm @ 194 ft TDH. Well #4 will get a new pump installed, rated at 230 gpm @ 110 ft TDH. Well #5 will get a new pump installed, rated at 230 gpm @ 110 ft TDH. Well #5 will get a new pump installed, rated at 230 gpm @ 130 ft TDH. There will be approximately 120 ft of 8-inch finished water main and 1,725 ft of 8-inch raw water main installed, a standby generator, and all the necessary appurtenances to make the project operational.	0.00	0.00	5,339,880.00	415,419.13	8.00	3/21/2023
DWSRF	Galesburg	The project consists of the replacement of approximately 500 lead water service lines within the City of Galesburg. This is the 5th phase of lead water service line replacements, with one more phase remaining.	0.00	0.00	2,000,000.00	1,161,530.23	58.00	6/1/2022
DWSRF	Moultrie County Rural Public Water District	Moultrie County Rural Public Water District will purchase a water maintenance building.	0.00	0.00	225,000.00	225,000.00	100.00	5/6/2021
DWSRF	Itasca	The Village intends to replace lead service lines. The Village's water system has 674 known lead service lines, of which 360 consist of needing full replacement from the water main to the water meter, and 314 needing partial replacement from the b-box junction to the water meter. For the lines requiring partial replacement, the sections of line from the main to the b-box junction have already been replaced. In order to maximize potential loan incentives, the Village intends to replace the lines in two phases. This loan covers the first phase which will result in 340 full replacements and	0.00	0.00	3,703,057.33		18.00	1/31/2023
DWSRF	Loda	Construct a new 70,000-gallon ground water storage tank with associated water mains to replace the existing 25,000-gallon elevated water storage tank. Add two transfer pumps and three high service pumps, new chlorine feed systems, a generator, and appurtenances to the existing plant.	0.00	0.00	1,000,000.00	382,415.51	38.00	6/1/2023
DWSRF	Moweaqua	This project includes the replacement of several lead service lines along Hanover and Wall Streets; approximately 23 new meters and meter pits; 1,000 linear feet of 1-inch diameter service line and all related appurtenances and restoration to make the project complete and operational.	0.00	0.00	186,027.75	147,977.19	80.00	4/30/2022

517,321,723.14 Total \$ Disbursed from 2020 Series Total 2020 Series Net Bond Proceeds 637,306,169.00

81.2%

% of 2020 Net Bond Proceeds Spent